A. M. A.
ARCHIVES OF
DERMATOLOGY AND SYPHILOLOGY

EDITORIAL BOARD

PAUL A. O'LEARY, Chief Editor
102 Second Avenue S. W., Rochester, Minn.

HERBERT RATTNER, Associate Editor, Chicago

NELSON PAUL ANDERSON, Los Angeles
GEORGE M. LEWIS, New York
H. E. MICHELSON, Minneapolis
A. C. CIPOLLARO, New York
J. LAMAR CALLAWAY, Durham, N. C.

VOLUME 67
1953

PUBLISHERS
AMERICAN MEDICAL ASSOCIATION
CHICAGO 10, ILL.

CONTENTS OF VOLUME 67

JANUARY 1953. NUMBER 1

PAGE

Hair Loss from Sebum. Peter Flesch, M.D., Ph.D., Philadelphia 1

Pemphigus in Association with Pregnancy: Observations of the Effect of Corticotropin (ACTH) and Cortisone on the Pemphigus, the Pregnancy, and the Infant. M. Harriss Samitz, M.D.; Marvin S. Greenberg, M.D., and John M. Coletti, M.D., Philadelphia .. 10

Diagnostic Pitfalls of Dermal Pathology. Marcus Rayner Caro, M.D., Chicago 18

Use of Dimercaprol (BAL) Ointment in Chronic Chrome Dermatitis. H. N. Cole Jr., M.D., Cleveland 30

Recurrent Herpes Simplex Infections of Upper Extremities with Lymphangitis: Report of Three Cases with Virus Studies in Two. Captain E. Randolph Trice, Medical Corps, Army of the United States, and June Carol Shafer, M.D., Arlington, Va. 37

Treatment of Pyogenic Skin Infections with Penicillin Given Orally. James M. Flood, M.D., Sayre, Pa. 42

Sporotrichosis Produced by Sporotrichum Gougeroti: Report of a Case and Review of the Literature. J. M. Young, M.D., and Elizabeth Ulrich, Memphis 44

Sandpaper-Abrasion Treatment of Tattoos. Ernest A. Strakosch, M.D., Ph.D., Denver 53

Progressive Bacterial Synergistic Gangrene: Report of a Case Uncontrolled by Systemic Administration of Bacitracin. Wilfred E. Wooldridge, M.D., and George W. Hogeboom, M.D., Springfield, Mo. 56

Corticotropin and Cortisone: Dosage and Ratio of Intramuscular and Intravenous Corticotropin (ACTH) and Oral Cortisone in Treatment of Certain Dermatoses. David Bloom, M.D.; Nathan Sobel, M.D., and Alfred Pelzig, M.D., New York 61

Pancreatic Function and X-Ray Studies in Psoriasis. John F. Madden, M.D., and Irvine M. Karon, M.D., St. Paul 66

Benign Familial Pemphigus: Cytology and Nosology. Louis H. Winer, M.D., Beverly Hills, Calif., and Alvin J. Leeb, M.D., Los Angeles 77

Clinical Notes, New Instruments and Techniques:

Molluscum Contagiosum Treated with Oxytetracycline ("Terramycin"). Meyer L. Niedelman, M.D., Philadelphia 84

Cytology of Kaposi's Sarcoma. Melvin H. Stich, M.D.; Harold B. Eiber, M.D.; Maurice Morrison, M.D., and Leo Loewe, M.D., Brooklyn 85

Open-Flash Technique for Dermatologic Photography. Robert Morris and John T. Crissey, M.D., Philadelphia 92

Kaposi's Sarcoma and Diabetes Mellitus. Francesco Ronchese, M.D., and Arthur B. Kern, M.D., Providence, R. I. 95

Isoimmune Phenomenon in Erythema Multiforme. Irving N. Holtzman, M.D., Brooklyn 97

Correspondence:

Dermatitis and Eczema.

A. Thulliez, M.D., Brussels, Belgium 99

H. D. Chambers, M.D., Jamaica, British West Indies 99

JANUARY—*Continued*

PAGE

Society Transactions:

Bronx Dermatological Society 101
Detroit Dermatological Society 106
New York Academy of Medicine, Section of Dermatology and Syphilis 107
Philadelphia Dermatological Society 112
Rhode Island Dermatological Society 115
San Francisco Dermatological Society 118

FEBRUARY 1953. NUMBER 2

Local Oxytetracycline ("Terramycin") Therapy of Skin Infections. Carroll S. Wright, M.D., and Donald N. Tschan, M.D., Philadelphia 125

Chromoblastomycosis: Report of First Case Recognized in Michigan, Apparently Contracted in South Carolina. A. James French, M.D., Ann Arbor, Mich., and Sherwood R. Russell, M.D., St. Johns, Mich. 129

Nodular Vasculitis: Report of Two Cases Associated with Hypertension. S. Irgang, M.D., New York 135

Pregnenolone Acetate in Treatment of Mycetoma (Nocardiosis). John H. Lamb, M.D.; Florene C. Kelly, Ph.D.; Paul O. Shackelford, M.D.; Gerbert Rebell, and Rollin C. Koons, B.S., Oklahoma City 141

Eruptive Xanthoma and Hyperlipemia in Glycogen Storage Disease (von Gierke's Disease). Samuel J. Zakon, M.D.; Abe Oyamada, M.D., and I. H. Rosenthal, M.D., Chicago 146

Bullous Keratogenous and Pigmentary Dermatitis with Blood Eosinophilia in Newborn Girls: Report of Four Cases. G. Asboe-Hansen, M.D., Copenhagen, Denmark 152

Ultrasonic Vibrations: A Tool for Investigative Dermatology. H. J. Templeton, M.D., Oakland, Calif. 158

Local Tissue Reactions to Cortisone and Hydrocortisone (Compound F) in Man: VIII. Studies of Local Therapeutic Effect of Hydrocortisone in Diseases of Skin. Leon Goldman, M.D., and Robert H. Preston, M.D., Cincinnati 163

Corticotropin (ACTH) and Cortisone in Treatment of Pemphigus Vulgaris. J. T. Aquilina, M.D.; James H. Townsend, M.D.; Ross Imburgia, M.D.; S. A. Greenstein, M.D., and R. L. Wuertz, M.D., Buffalo 166

The Acne Problem. Frederic T. Becker, M.D., Duluth, Minn. 173

Polyarteritis Nodosa and Dermatitis Gangrenosa. Captain Robert L. Gilman (MC), U.S.N., and Commander Karl V. Kaess (MC), U.S.N., Philadelphia 184

Amyloid "Tumor Formation" of Skin. Irving N. Holtzman, M.D., and Jacob Skeer, M.D., Brooklyn 187

Effect of Roentgen Rays on Microsporum Audouini: An in Vitro Study. Kurt Loewenthal, M.D., Freeport, N. Y. 191

Studies on Lichen Myxedematosus (Papular Mucinosis). John Eric Dalton, M.D., and Martin A. Seidell, M.D., Indianapolis 194

Clinical Notes, New Instruments and Techniques:

Rapid and Easy Method for Staining Spirochetes with Fountain Pen Ink. Edward T. Emura, M.D., Cincinnati 210

Electrodesiccation: A New Method of Application. Milton S. Hartman, M.D., Brooklyn .. 212

FEBRUARY—*Continued*

PAGE

Society Transactions:

Bronx Dermatological Society 214

New York Dermatological Society 220

Philadelphia Dermatological Society 226

Regular Departments:

Directory of Dermatologic Societies 232

MARCH 1953. NUMBER 3

Systemic Disturbances in Recalcitrant Trichophyton Rubrum (Purpureum) Infections: Studies and Short Report on Therapeutic Experiments. Stephen Rothman, M.D., Chicago 239

Generalized Trichophyton Rubrum Infection Associated with Systemic Lymphoblastoma: Report of Three Cases. George M. Lewis, M.D.; Mary E. Hopper, M.S., New York, and Michael J. Scott, M.D., Seattle 247

Aqueous Solutions of Sodium Propionate with Chlorophyll as a Therapeutic Agent. Samuel M. Peck, M.D.; Eugene F. Traub, M.D., and Herbert J. Spoor, M.D., Ph.D., New York 263

Mechanical Trauma: A Study of Its Role in a Group of Skin Diseases Reputedly Influenced by Trauma. Albert R. McFarland, M.D., Rochester, N. Y. 278

Diseases Related to Light Sensitivity. Beatrice Maher Kesten, M.D., New York, and Meyer Slatkin, M.D., Brooklyn 284

Birthmarks in Infants. A. G. Pratt, M.D., Camden, N. J. 302

Experimental Studies on Sarcoidosis: Persistence and Survival of Inoculated Microorganisms. A. Rostenberg Jr., M.D.; Frederick J. Szymanski, M.D.; George J. Brebis, M.D.; John B. Haeberlin Jr., M.D., and Francis E. Senear, M.D., Chicago 306

News and Comment 315

Books 315

Clinical Notes, New Instruments and Techniques:

Vitiligo with a Raised Inflammatory Border. William R. Buckley, M.D., and Walter C. Lobitz Jr., M.D., Hanover, N. H. 316

Treatment for Granuloma Annulare. Harry M. Robinson Sr., M.D., Baltimore 320

Society Transactions:

Chicago Dermatological Society 321

Manhattan Dermatologic Society 326

New England Dermatological Society 328

New York Academy of Medicine, Section of Dermatology and Syphilis 331

New York Dermatological Society 336

APRIL 1953. NUMBER 4

Editorials:

Society Transactions 345

Follicular Lichen Planus (Lichen Planopilaris). Henry Silver, M.D.; Louis Chargin, M.D., and Perry M. Sachs, M.D., New York 346

Use of a Cycloheximide Medium for Isolation of Dermatophytes from Clinical Materials. Lucille K. Georg, Ph.D., Chamblee, Ga. 355

Observations on Anticomplementary Reactions. Andrew George Lighter, M.D., Los Angeles 362

APRIL—*Continued*

PAGE

Unusual Forms of Solar Dermatitis. Robert J. Morgan, M.D.; Paul O. Shackleford, M.D., and John H. Lamb, M.D., Oklahoma City 369

Nonpigmented Malignant Melanoma D'Emblée: Report of a Case. Hugo Hecht, M.D., Cleveland 380

Dermatitis Venenata Due to Native Woods. Leonard F. Weber, M.D. Chicago 388

Squamous Cell Carcinoma of the Vulva Secondary to Granuloma Inguinale. Lee J. Alexander, M.D., Dallas, Texas, and Thomas L. Shields, M.D., Fort Worth, Texas 395

Mycosis Fungoides: Diagnosis by Aspiration Technique; Observations in Skin and Bone Marrow. A. Irving Swiller, M.D.; Frederic Feldman, M.D., and Maurice Morrison, M.D., Brooklyn 403

Lichen Amyloidosus Associated with Varicose Veins. Max Wolf, M.D., New York 407

Clinical Notes, New Instruments and Techniques:

Lupus Vulgaris Treated with Isoniazid: A Preliminary Report. Robert E. Holsinger, M.D., Indianapolis 413

Society Transactions:

Chicago Dermatological Society 419

New York Academy of Medicine, Section of Dermatology and Syphilology 424

Philadelphia Dermatological Society 431

MAY 1953. NUMBER 5

Benign Inoculation Lymphoreticulosis (Cat-Scratch Disease): Report of Two Cases with Positive Skin Tests. James Jambor, M.D., and Edward Emura, M.D., Cincinnati 439

Bullous Congenital Ichthyosiform Erythroderma. Leslie Paxton Barker, M.D., and Wilbert Sachs, M.D., New York 443

Major and Minor Surgical Procedures on Patients with Systemic Lupus Erythematosus. Jerome M. Greenhouse, M.D., East St. Louis, Ill. 456

Onychomycosis Due to Microsporum Lanosum: Report of a Case. Colonel Robert E. Lyons, Medical Corps, United States Air Force 460

Mycosis Fungoides: Further Report on Cases of Successful Treatment with Antimonials. John Garb, M.D., New York 463

Archives of Dermatology. Emanuel Gahan, M.D., New York 467

First American Journal of Dermatology. Emanuel Gahan, M.D., New York 470

Candida Albicans: Rapid Identification in Cultures Made Directly from Human Materials. Julia T. Weld, New York 473

Treatment of Tinea Capitis with Salicylanilide Preparations. J. Gardner Hopkins, M.D., New York; Carl S. Lingamfelter, M.D., Charlottesville, Va.; Max R. Kiesselbach, M.D., and Oscar A. Hamilton, M.D., New York 479

Simple Scheme for Deriving X-Ray Skin-Surface Dose Times. Russell A. Langley, M.B., B.S., D.D.M., Melbourne, Australia 484

Use of Podophyllin (Podophyllum Resin) in Dermatology. Lawrence M. Nelson, M.D., Santa Barbara, Calif. 488

Vitamin D_2 in Treatment of Nontuberculous Chronic Skin Diseases. Ernest A. Strakosch, M.D., Ph.D., Denver 496

Hairy Tongue: Report of a Case Following the Use of Aureomycin Ointment. Francesco Ronchese, M.D., and Arthur B. Kern, M.D., Providence, R. I. 503

MAY—*Continued*

PAGE

Hotchkiss-McManus Stain Versus Clearing in KOH in the Diagnosis of Superficial Mycoses. Emanuel Muskatblit, M.D.; Claire L. Taschdjian, B.S., Brooklyn, and Andrew G. Franks, M.D., with the Technical Assistance of Domenica Furnari, B.A., New York 507

Clinical Notes, New Instruments and Techniques:

Quinacrine (Atabrine) in Treatment of Lupus Erythematosus. Charles J. Courville, M.D., and Eldon T. Perry, M.D., Detroit 510

New Technique with an Old Instrument. Robert L. Rein, M.D., Brooklyn 512

Improving the Recovery Time of Herpes Zoster. George O. Berg, M.D., Los Angeles. 512

Failure of Denatured Insulin in the Prevention of Urticaria Caused by Insulin: Report of a Case. Lester Hollander, M.D., Pittsburgh, and Lynwood D. Zinn, M.D., Clarksburg, W. Va. 513

Use of Thymol as a Preservative for Fungi. George E. Morris, M.D., Boston 514

Tangled Hair: Bizarre Occurrence After Use of Detergent Shampoo. Paul V. Graham, M.D., Wheeling, W. Va. 515

Keratosis Obturans Otica: Obstructive Hollow Keratotic Cast of External Auditory Canal. Maurice J. Costello, M.D., and Seymour Fried, M.D., New York 516

Convulsions Following Treatment of Tinea Capitis with Asterol Dihydrochloride Ointment: Report of a Case. Elliot A. Wallach, M.D., Belleville, Ill. 517

Correspondence:

Convulsions Following Treatment of Tinea Capitis with Asterol Dihydrochloride Ointment. Leo A. Pirk, Ph.D., and Elmer L. Sevringhaus, M.D., Nutley, N. J. 519

Lichen Simplex Chronicus in Orientals. E. Kocsard, M.D., North Sydney, N. S. W., Australia 521

Society Transactions:

Bronx Dermatological Society 523

Chicago Dermatological Society 526

New England Dermatological Society 532

Obituaries:

Simpson M. Markson, M.D. 535

Max Scheer, M.D. 537

Books 539

JUNE 1953. NUMBER 6

Bacillus Anthracis: Observations on in Vitro Sensitivity to Seven Antibiotics with a Comment on Therapeutic Implications. William P. Boger, M.D., Norristown, Pa. 541

Malocclusion and Its Effect upon Oral Membranes. Martin T. Van Studdiford, M.D., New Orleans 546

Ochronosis. Carl W. Laymon, M.D., Minneapolis 553

Dermatological Manifestations of Familial Autonomic Dysfunction (Riley-Day Syndrome). Ida J. Mintzer, M.D., and Zoltan Rubin, M.D., New York 561

Stress Dermatoses: Suggested Integration of the Allergic-Psychogenic Dermatoses. Harry L. Arnold Jr., M.D., Honolulu, T. H. 566

Physiologic Studies in Atopic Dermatitis (Disseminated Neurodermatitis): I. The Local Cutaneous Response to Intradermally Injected Acetylcholine and Epinephrine. Walter C. Lobitz Jr., M.D., and Clarence J. Campbell, M.D., Hanover, N. H. 575

JUNE—*Continued*

PAGE

Erythema Annulare Centrifugum: Its Relation to Internal Disease. Arthur Stillians, M.D., Chicago 590

Cutaneous Papillomatosis: Confluent and Reticulated Variety. Alex. W. Young Jr., M.D., New York 594

Premalignant Fibroepithelial Tumors of Skin. Hermann Pinkus, M.D., Monroe, Mich 598

Occupational Melanosis. A. J. Reiches, M.D., St. Louis 616

Paradoxical Effect of Penicillin: Epithelioma in Situ Associated with Syphilitic Granuloma. Irving N. Holtzman, M.D., Brooklyn 622

Clinical Notes, New Instruments and Techniques:

Erythema Infectiosum: Outbreak in Bristol, Tennessee-Virginia, Area. I. E. Phillips, M.D., Bristol, Tenn 628

Punch Biopsy with Autograft: A Cosmetic Office Procedure. L. J. A. Loewenthal, M.D., M.R.C.P., Johannesburg, South Africa 629

Acneform Eruption on an Infant After Antepartum and Neonatal Cortisone Therapy. Robert Craft Smith, M.D.; John Dent, M.D., and Vincent Derbes, M.D., New Orleans 630

Leucopenia Occurring During Induced Malaria. John F. Madden, M.D., St. Paul, and Warren L. Macauley, M.D., Fargo, N. D. 630

Mushroom Dermatitis: Report of a Case. H. Hanford Hopkins, M.D., Baltimore 632

Quinacrine (Atabrine) Hydrochloride in Treatment of Discoid Lupus Erythematosus. Paul A. O'Leary, M.D.; Louis A. Brunsting, M.D., and Robert R. Kierland, M.D., Rochester, Minn. 633

Topical Therapy in Miliaria Rubra. Joseph M. Shelton, M.D., Washington, Pa. 634

Chloramphenical in Treatment of Primary Herpetic Stomatitis and Herpes Labialis. Edward V. Zegarelli, D.D.S., M.S.; Jack Budowsky, D.D.S.; Herbert F. Silvers, D.D.S., and Austin H. Kutscher, D.D.S., New York 635

Society Transactions:

Metropolitan Dermatological Society of Los Angeles 637

Philadelphia Dermatological Society 639

Obituaries:

James Kirby Howles, M.D. 642

News and Comment 644

INDEX TO VOLUME 67

The asterisk (*) preceding the page number indicates an original article. Subject entries are made for all articles. Author entries are made for original articles and society transactions. Book Reviews, Obituaries, and Society Transactions are indexed under these headings in their alphabetical order under the letters B, O, and S, respectively. Articles for which only the authors and titles are included in the Society Transactions are not indexed.

Abnormalities and Deformities: See under names of diseases, organs, and regions

Acetylcholine
- in atopic dermatitis (disseminated neurodermatitis): local cutaneous response to intradermally injected [Lobitz & Campbell], *575

Acne
- acneform eruption in infant after antepartum and neonatal cortisone therapy [Smith & others], *630
- problem [Becker], *173

Acrodermatitis
- chronica atrophicans [Stillians], 527
- chronica atrophicans: result of therapy [Montgomery], 336
- chronica atrophicans, stasis and dystrophic ulcer in: cured by ligation of saphenous veins, 335
- enteropathic (Danbolt): successfully treated with Diodoquin (diiodohydroxyquinoline) [Dillaha & Lorincz], 324
- perstans (Hallopeau) [Wilson], 228
- pustulosa hiemalis (tuberculids) [Epstein], 118

Acrokeratosis
- verruciformis [Hyman], 111

ACTH: See Corticotropin

Acti-Dione: See Cycloheximide

Actinomycosis
- case [Lewis], 339

Adenoma
- sweat gland [Machacek], 338

Adiponecrosis: See Fat, necrosis

Alexander, L. J.
- Squamous cell carcinoma of vulva secondary to granuloma inguinale, *395

Allergy: See Dermatitis, venenata

Alopecia
- cicatrisata: pseudopelade [Rothman & Tomkins], 421
- folliculitis with: case for diagnosis [Cornbleet & others], 422
- generalized: hydrolyzed wool in treatment [Klauder & Gross], 432
- totalis: response to corticotropin (ACTH) and cortisone [Burgoon], 431

Amyloidosis
- amyloid "tumor formation" of skin [Holtzman & Skeer], *187
- cutis (macular) [Westfall], 428
- lichen amyloidosus associated with varicose veins [Wolf], *407
- papular [Westfall], 429

Anderson, G.
- Hereditary hemorrhagic telangiectasis, 229

Andrews, G. C.
- Moniliasis avitaminosis, 220

Anemia
- Cooley's: hereditary leptocytosis with ulcers of leg and renal calculi [Fisher & Schwartz], 523

Anthrax
- Bacillus anthracis: in vitro sensitivity to 7 antibiotics, with comment on therapeutic implications [Boger], *541

Antibiotics
- in vitro sensitivity of Bacillus Anthracis to 7 antibiotics with comment on therapeutic implications [Boger], *541

Antimony and Antimony Compounds
- mycosis fungoides, successful treatment with antimonials [Garb], *463

Apparatus: See Instruments

Appel, B.
- Multiple gummata (healed), asymptomatic neurosyphilis, prozone phenomenon, 533
- Traumatic hemangioma, 328

Aquilina, J. T.
- Corticotropin (ACTH) and cortisone in treatment of pemphigus vulgaris, *166; correction, 540

Archives of Dermatology
- [Gahan], *467

Arnold, H. L., Jr.
- Stress dermatoses: suggested integration of allergic-psychogenic dermatoses, *566

Asboe-Hansen, G.
- Bullous keratogenous and pigmentary dermatitis with blood eosinophilia in newborn girls: report of 4 cases, *152

Asterol
- dihydrochloride ointment: convulsions following treatment of tinea capitis with: case [Wallach], *517
- dihydrochloride ointment: convulsion following treatment of tinea capitis with [correspondence], 519

Atabrine: See Quinacrine

Aureomycin
- hairy tongue following use of ointment [Ronchese & Kern], *503

Axilla
- lupus miliaris disseminatus; papulonecrotic tuberculid (follicils) [Ryan], 121

Bacillus Anthracis
- in vitro sensitivity to 7 antibiotics with comment on therapeutic implications [Boger], *541

Bacitracin
- progressive bacterial synergistic gangrene uncontrolled by systemic administration [Wooldridge & Hogeboom], *56

Bacterid
- case for diagnosis [Traub], 340

BAL: See Dimercaprol

Ballin, D.
- Fixed drug eruption due to sulfadiazine, 525

Banthine: See Methantheline

Barker, L. P.
- Bullous congenital ichthyosiform erythroderma *443
- Sarcoidosis treated with cortisone, 334

Becker, F. T.
- Acne problem, *173

Berg, G. O.
- Improving recovery time of herpes zoster, *512

Beryllium
- granuloma of ring finger [Fisher], 103
- granuloma and ulceration of fingers: rapid improvement with cotrisone ointment [Fisher], 523

Biberstein, H. H.
- Superficial scleroderma, 105

Biopsy
- punch, with autograft: cosmetic office procedure [Loewenthal], *629

Birthmarks: See Nevi

Blastomycosis: See also Chromoblastomycosis
cutis [Kemp & Shaffer], 437
dermatitidis [Rodriquez], 529

Blood
cholesterol: xanthoma tuberosum (essential familial hypercholesteremia) [Cramer], 427
fats and lipids: eruptive xanthoma and hyperlipemia in glycogen storage disease (von Gierke's disease) [Zakon & others], *146
globulin: essential cryglobulinemia with purpura [Pelzig], 429

Blood Transfusion
Hodgkin's disease complicated by unusual type of erythema multiforme following [Costello], 225

Blood Vessels
diseases: nodular vasculitis: report of 2 cases associated with hypertension [Irgang], *135

Bloom, D.
Corticotropin and cortisone: dosage and ratio of intramuscular and intravenous corticotropin (ACTH) and oral cortisone in treatment of certain dermatoses, *61
Lupus vulgaris, 219

Boger, W. P.
Bacillus anthracis: observations on in vitro sensitivity to 7 antibiotics with comment on therapeutic implications, *541

Book Reviews
Atlas de dermatologie: en couleurs: P. de Graciansky and S. Boulle, 539
Dermatology: Textbook for Nurses: H. Rattner, 540
Essentials of Dermatology: N. Tobias, 539
Handbook of Tropical Dermatology and Medical Mycology: edited by R. D. G. P. Simons, 315
History of the American Dermatological Association in Commemoration of Its Seventy-Fifth Anniversary, 1876-1951: P. E. Bechet, editor, 315

Breast
adiponecrosis: panniculitis in newborn child born of diabetic mother with [Machacek], 342

Brebis, G. J.
Experimental studies on sarcoidosis: persistence and survival of inoculated micro-organisms, *306

Briske, J. P.
Urticaria pigmentosa, 123

Bromides
bromoderma due to methantheline bromide (Banthine): case for diagnosis [Epstein], 120

Bromoderma: See Bromides

Brunsting, L. A.
Quinacrine (Atabrine) hydrochloride in treatment of discoid lupus erythematosus, *633

Buckley, W. R.
Vitiligo with raised inflammatory border, *316

Budowsky, J.
Chloramphenicol in treatment of primary herpetic stomatitis and herpes labialis, *635

Burgoon, C. F., Jr.
Alopecia totalis: response to corticotropin (ACTH) and cortisone, 431
Chronic benign plaques on mucous membranes, 431

Cahn, M. M.
Sarcoidosis apparently cured by quinacrine (Atabrine) hydrochloride, 640

Campbell, C. J.
Physiologic studies in atopic dermatitis (disseminated neurodermatitis): local cutaneous response to intradermally injected acetylcholine and epinephrine, *575

Cancer: See also Tumors
four apparently primary and different malignant conditions [Iverson & Thomas], 113

Candida
albicans: rapid identification in cultures made directly from human materials [Weld], *473

Canizares, O.
Urticaria pigmentosa, 327

Caro, M. R.
Diagnostic pitfalls of dermal pathology, *18

Cat-Scratch Disease: See Lymph Nodes

Cells
cytology of Kaposi's sarcoma [Stich & others], *85

Chargin, L.
Follicular lichen planus (Lichen planopilaris), *346

Chloramphenicol
in treatment of primary herpetic stomatitis and herpes labialis [Zegarelli & others], *635

Chlorophyll
with aqueous solutions of sodium propionate as therapeutic agent [Peck & others], *263

Chromium and Chromium Compounds
chronic chrome dermatitis, use of dimercaprol (BAL) ointment in [Cole], *30

Chromoblastomycosis
report of first case recognized in Michigan, apparently contracted in South Carolina [French & Russell], *129

Cohen, D.
Case for diagnosis: erythrasma; folliculitis with alopecia? 422

Cohen, W. B.
Granuloma annulare in identical twins, 117

Cole, H. N., Jr.
Use of dimercaprol (BAL) ointment in chronic chrome dermatitis, *30

Coletti, J. M.
Pemphigus in association with pregnancy: observations of effect of corticotropin (ACTH) and cortisone on pemphigus, pregnancy, and infant, *10

Combes, F. C.
Keratosis blennorrhagica, 107

Complement
observations on anticomplementary reactions [Lighter], *362

Compound F: See Hydrocortisone

Convulsions
following treatment of tinea capitis with Asterol dihydrochloride ointment [correspondence], 519
following treatment of tinea capitis with asterol dihydrochloride ointment: case [Wallach], *517

Cormia, F. E.
Chronic lupus erythematosus treated, 223
Leucoplakia, 221

Cornbleet, T.
Case for diagnosis: erythrasma; folliculitis with alopecia? 422
Generalized granulomatous folliculitis: tuberculid? 423

Corticotropin (ACTH)
in alopecia totalis [Burgoon], 431
dosage and ratio of intramuscular and intravenous corticotropin and oral cortisone in treatment of certain dermatoses [Bloom & others], *61
effect on pemphigus in pregnancy [Samitz & others], *10

Corticotropin—Continued
in pemphigus vulgaris [Aquilina & others], *166; correction, 540
pemphigus vulgaris under control for 18 months with [Leider], 101

Cortisone
acneform eruption in infant after antepartum and neonatal therapy with [Smith & others], *630
in alopecia totalis [Burgoon], 431
beryllium granuloma and ulceration of finger: rapid improvement with cortisone ointment [Fisher], 523
dosage and ratio of intramuscular and intravenous corticotropin and oral cortisone in treatment of certain dermatoses [Bloom & others], *61
effect on pemphigus in pregnancy [Samitz & others], *10
in pemphigus vulgaris [Aquilina & others], *166; correction, 540
local tissue reactions to hydrocortisone (compound F) and; studies of local therapeutic effect of hydrocortisone in diseases of skin [Goldman & Preston], *163
in sarcoidosis [Barker], 334

Costello, M. J.
Case for diagnosis: papulonecrotic tuberulid or erythema nodosum perstans? 220
Keratosis obturans otica: obstructive hollow keratotic cast of external auditory canal, *516
Hodgkin's disease complicated by unusual type of erythema multiforme following blood transfusion, 225
Nevus comedonicus in dermatome distribution, 338

Courville, C. J.
Quinacrine (Atabrine) in treatment of lupus erythematosus, *510

Cramer, J.
Xanthoma tuberosum (essential familial hypercholesteremia), 427

Crissey, J. T.
Open-flash technique for dermatologic photography, *92

Crossland, P. M.
Lichen fibromucinoidosis (lichen myxedematosis), 122

Cryoglobulinemia: See under Blood

Cushing's Syndrome
complicated by generalized Trichophyton rubrum infection [Pillsbury & Jacobson], 436

Cyclohexamide
medium for isolation of dermatophytes from clinical materials [Georg], *355

Cytology: See Cells

Dalton, J. E.
Studies on lichen myxedematosus (papular mucinosis), *194

Danlos-Ehlers Syndrome: See Ehlers-Danlos Syndrome

Darier's Disease: See Keratosis, follicularis

Decker, H. G.
Kaposi's sarcoma, 226

Dent, J.
Acneform eruption in infant after antepartum and neonatal cortisone therapy, *630

Derbes, V.
Acneform eruption in infant after antepartum and neonatal cortisone therapy, *630

Dermatitis: See also Acrodermatitis
atopic (disseminated neurodermatitis): physiologic studies in: local cutaneous response to intradermally injected acetylcholine and epinephrine [Lobitz & Campbell], *575
chrome, chronic: use of dimercaprol (BAL) ointment in [Cole], *30

Dermatitis—Continued
Contact: See Dermatitis venenata
and eczema [correspondence], 99
gangrenosa and polyarteritis nodosa [Gilman & Kaess], *184
mushroom: report of case [Hopkins], *632
pigmentary and bullous keratogenous, with blood eosinophilia in newborn girls: report of 4 cases [Asboe-Hansen], *152
seborrheic? case for diagnosis [Traub], 336
solar, unusual forms [Morgan & others], *369
venenata: due to native woods [Weber], *388

Dermatofibrosarcoma: See Sarcoma

Dermatology
diagnostic pitfalls of dermal pathology [Caro], *18

Dermatophytes
use of cycloheximide medium for isolation from clinical materials [Georg], *355

Dermatoses: See Dermatitis; Skin, diseases

Detergents
shampoo, tangled hair after use [Graham], *515

Dexter, D.
Incontinentia pigmenti (?) with atrophy of skin of thighs, 524

Diabetes Mellitus
Kaposi's sarcoma and [Ronchese & Kern], *95
panniculitis in newborn child of diabetic mother with adiponecrosis of breast [Machacek], 342

Diagnosis
diagnostic pitfalls of dermal pathology [Caro], *18

Diiodohydroxyquinoline (Diodoquin)
enteropathic acrodermatitis (Danbolt) successfully treated with [Dillaha & Lorinca], 324

Dillaha, C. J.
Enteropathic acrodermatitis (Danbolt): successful treatment with Diodoquin (diiodohydroxyquinoline), 324
Folliculitis decalvans onychomycosis, 421

Dimercaprol (BAL)
ointment in chronic chrome dermatitis [Cole], *30

Diodoquin: See Diiodohydroxyquinoline

Directory of Dermatological Societies, 232; corrections, 438, 540

Drugs
eruption, fixed, due to sulfadiazine [Ballin], 525

Ear
keratosis obturans otica: obstructive hollow keratotic cast of external auditory canal [Costello & Fried], *516

Ebert, M. H.
Keratosis follicularis—Darier's disease, 419
Leprosy, 322
Urticaria pigmentosa, 531

Eczema
and dermatitis [correspondence], 99

Ehlers-Danlos Syndrome
two cases [Pascher & Kanof], 214

Eiber, H. B.
Cytology of Kaposi's sarcoma, *85

Electrodesiccation
new method of application [Hartman], *212

Elephantiasis
verrucous, of lower extremities, with papillomatosis [Ronchese], 115

Emura, E. T.
Benign inoculation lymphoreticulosis (cat-scratch disease): report of 2 cases with positive skin tests, *439
Rapid and easy method for staining spirochetes with fountain pen ink, *210

Eosinophiles
bullous keratogenous and pigmentary dermatitis with blood eosinophiles in newborn girls: report of 4 cases (Asboe-Hansen), *152

Epinephrine
in atopic dermatitis (disseminated neurodermatitis) [Lobitz & Campbell], *575

Epithelioma
basal-cell, multiple [Robbins], 110
basal-cell, of sole [Pascher], 108
in situ associated with syphilitic granuloma: paradoxical effect of penicillin [Holtzman], *622
squamous cell: radiodermatitis and [Lewis], 342

Epstein, E.
Case for diagnosis: bromoderma due to methantheline bromide (Banthine), 120

Epstein, N.
Tuberculid (acrodermatitis pustulosa himalis), 118

Erythema
annulare centrifugum: relation to internal disease [Stillians], *590
elevatum diutinum (eosinophilic granuloma type) [Wilson], 230
infectiosum: outbreak in Bristol, Tennessee-Virginia, area [Phillips], *628
multiforme: Hodgkin's disease complicated by unusual type following blood transfusion [Costello], 225
multiforme: isoimmune phenomenon in [Holtzman], *97
nodosum perstans or papulonecrotic tuberculid? case for diagnosis [Costello], 220

Erythrasma
case for diagnosis [Cornbleet & others], 422

Erythroderma
ichthyosiform, bullous, congenital [Barker & Sachs], *443

Extremities
lower, verrucous elephantiasis with papillomatosis [Ronchese], 115
upper, recurrent herpes simplex infections with lymphangitis: report of 3 cases with virus studies in 2 [Trice & Shafer], *37

Eyelids
blue nevus (?) [Hyman], 109

Falk, A. B.
Case for diagnosis, 323
Incontinentia pigmenti, 530

Feet
Trichophyton rubrum (purpureum) infections, recalcitrant, systemic disturbances in; therapeutic experiments [Rothman], *239

Fat
necrosis: panniculitis in newborn child of diabetic mother with adiponecrosis of breast [Machacek], 342

Feldman, F.
Mycosis fungoides: diagnosis by aspiration technique; observations in skin and bone marrow, *403

Fibroma
calcified or steatocystoma multiplex? [Schiff], 117

Fibrosarcoma
case [McCarthy], 330

Fingers and Toes
beryllium granuloma of ring finger [Fisher], 103
beryllium granuloma and ulceration of finger: rapid improvement with cortisone ointment [Fisher], 523

Fisher, A. A.
Beryllium granuloma of ring finger, 103
Hereditary leptocytosis (Cooley's anemia) with ulcers of leg and renal calculi, 523

Fisher, A. A.—Continued
Incontinentia pigmenti (?) with atrophy of skin of thighs, 524
Kaposi's sarcoma, 102

Flesch, P.
Hair loss from sebum, *1

Flood, J. M.
Treatment of pyogenic skin infections with penicillin given orally, *42

Folliculitis
with alopecia? case for diagnosis [Cornbleet & others], 422
decalvans with onychomycosis [Dillaha & Tompkins], 421
generalized granulomatous, or tuberculid? [Cornbleet & others], 423

Foot
basal-cell epithelioma of sole [Pascher], 108

Franks, A. G.
Hotchkiss-McManus stain versus clearing in KOH in diagnosis of superficial mycoses, *507

French, A. J.
Chromoblastomycosis: report of first case recognized in Michigan, apparently contracted in South Carolina, *129

Fried, S.
Keratosis obturans otica: obstructive hollow keratotic cast of external auditory canal, *516

Fungi: See also Trichophyton

Fungi
thymol as preservative for [Morris], *514

Gahan, E.
Archives of Dermatology, *467
First American journal of dermatology, *470

Gangrene: See also Dermatitis, gangrenosa
progressive bacterial synergistic: report of case uncontrolled by systemic administration of bacitracin [Wooldridge & Hogeboom], *56

Garb, J.
Mycosis fungoides: further report on cases of successful treatment with antimonials, *463

Geist, D. C.
Hemangioendothelioma or hemangiopericytoma, 433

von Gierke's Disease: See under Glycogen

Georg, L. K.
Use of cycloheximide medium for isolation of dermatophytes from clinical materials, *355

Gilman, R. L.
Polyarteritis nodosa and dermatitis gangrenosa, *184

Glycogen
storage disease (von Gierke's disease): eruptive xanthoma and hyperlipemia in [Zakon & others], *146

Goldman, L.
Local tissue reactions to cortisone and hydrocortisone (compound F) in man: studies of local therapeutic effect of hydrocortisone in diseases of skin, *163

Graham, P. V.
Tangled hair: bizarre occurrence after use of detergent shampoo, *515

Granuloma
annulare, in identical twins [Cohen & Schiff], 117
annulare, treatment [Robinson], *320
beryllium: See Beryllium
inguinale: squamous cell carcinoma of vulva secondary to [Alexander & Shields], *395
syphilitic: epithelioma in situ associated with, paradoxical effect of penicillin [Holtzman], *622

Greenberg, M. S.
Pemphigus in association with pregnancy: observations of effect of corticotropin (ACTH) and cortisone on pemphigus, pregnancy, and infant, *10

Greenhouse, J. M.
Major and minor surgical procedures on patients with systemic lupus erythematosus, *456

Greenstein, S. A.
Corticotropin (ACTH) and cortisone in treatment of pemphigus vulgaris, *166; correction, 540

Gross, B. A.
Generalized alopecia: hydrolyzed wool employed in treatment, 432

Gumma
multiple (healed), asymptomatic neurosyphilis, prozone phenomenon, 533

Haeberlin, J. B., Jr.
Experimental studies on sarcoidosis: persistence and survival of inoculated micro-organisms, *306

Hair
color: leucotrichia [Sobel], 326
loss from sebum [Flesch], *1
tangled: bizarre occurrence after use of detergent shampoo [Graham], *515

Halpern, W.
Nevus sebaceus (?) 329

Hamilton, O. A.
Treatment of tinea capitis with salicylanilide preparations, *479

Hands
Trichophyton rubrum (purpureum) infections, recalcitrant, systemic disturbances in; therapeutic experiments [Rothman], *239

Hansen's Disease: See Leprosy

Harding, W. F. B.
Chronic discoid lupus erythematosus with dissemination, 119

Hartman, M. S.
Electrodesiccation: new method of application, *212

Heat Rash: See Miliaria

Hecht, H.
Nonpigmented malignant melanoma d'emblée: report of case, *380

Hemangioendothelioma
or hemangiopericytoma [Schamberg & others], 433

Hemangioma: See Parkes Weber Disease

Hemangioma
traumatic [Appel], 328

Herpes
labialis and primary herpetic stomatitis, chloramphenicol in treatment [Zegarelli & others], *635
simplex, recurrent infections of upper extremities with lymphangitis: report of 3 cases with virus studies in 2 [Trice & Shafer], *37
zoster: improving recovery time [Berg], *512

Hetreed, F.
Case for diagnosis, 323
Incontinentia pigmenti, 530

Higdon, R. S.
Leprosy, tuberculoid type, 121

Hodgkin's Disease
complicated by unusual type of erythema multiforme following blood transfusion [Costello], 225

Hodgeboom, G. W.
Progressive bacterial synergistic gangrene: report of case uncontrolled by systemic administration of bacitracin, 56

Hollander, L.
Failure of denatured insulin in prevention of urticaria caused by insulin: report of case, *513

Holsinger, R. E.
Lupus vulgaris treated with isoniazid: preliminary report, *413

Holtzman, I. N.
Amyloid "tumor formation" of skin, *187
Isoimmune phenomenon in erythema multiforme, *97
Paradoxical effect of penicillin: epithelioma in situ associated with syphilitic granuloma, *622

Hopkins, H. H.
Mushroom dermatitis: report of case, *632

Hopkins, J. G.
Treatment of tinea capitis with salicylanilide preparations, *479

Hopper, M. E.
Generalized Trichophyton rubrum infection associated with systemic lymphoblastoma: report of 3 cases, *247

Howles, James Kirby
obituary, 642

Hurley, H. J.
Miliaria profunda, 437

Hydrocortisone (compound F)
local tissue reactions in man: studies of local therapeutic effect in diseases of skin [Goldman & Preston], *163

Hydroxycorticosterone: See Hydrocortisone

Hyman, A. B.
Acrokeratosis verruciformis, 111
Blue nevus (?) of eyelids, 109
Necrobiosis, 111

Hypercholesteremia: See Blood, cholesterol

Hyperlipemia: See Blood, fats and lipids

Hypertension
nodular vasculitis associated with: report of 2 cases [Irgang], *135

Imburgia, R.
Corticotropin (ACTH) and cortisone in treatment of pemphigus vulgaris, *166; correction, 540

Immunity
isoimmune phenomenon in erythema multiforme [Holtzman], *97

Incontinentia pigmenti: See Pigmentation

Infants
birthmarks in [Pratt], *302
newborn: acneform eruption after antepartum and neonatal cortisone therapy [Smith & others], *630

Instruments
chalazion forceps: new technique with old instrument [Rein], *512

Insulin
denatured, failure in prevention of urticaria caused by insulin: case [Hollander & Zinn], *513

Irgang, S.
Lichen planus, 333
Lupus vulgaris, 331
Nodular vasculitis: report of 2 cases associated with hypertension, *135

Isoniazid
lupus vulgaris treated with: preliminary report [Holsinger], *413

Isonicotinic Acid Hydrazide: See Isoniazid

Iverson, P.
Four apparently primary and different malignant conditions, 113

Jacobson, C.
Cushing's syndrome complicated by generalized Trichophyton rubrum infection, 436

Jambor, J.
Benign inoculation lymphoreticulosis (cat-scratch disease): report of 2 cases with positive skin tests, *439

Journals: See Periodicals

Kaess, K. V.
Polyarteritis nodosa and dermatitis gangrenosa, *184

Kanof, A.
Ehlers-Danlos syndrome, 214

Kaposi's Sarcoma: See Sarcoma

Karon, I. M.
Pancreatic function and x-ray studies in psoriasis, *66

Kelley, F. C.
Pregnenolone acetate in treatment of mycetoma (nocardiosis), *141

Kemp, T.
Blastomycosis cutis, 437

Keratoconjunctivitis
rosacea, severe, with rosacea for 20 years [Lorincz], 321

Keratosis
blennorrhagica [Combes], 107
follicularis (Darier's disease) [Mitchell & others], 419
obturans otica: obstructive hollow keratotic cast of external auditory canal [Costello & Fried], *516
porokeratosis (Mibelli) [Rodin], 526
seborrheic [Scully], 114

Kern, A. B.
Hairy tongue: report of case following use of aureomycin ointment, *503
Kaposi's sarcoma and diabetes mellitus, *95

Kesten, B. M.
Diseases related to light sensitivity, *284

Kidneys
calculi: with hereditary leptocytosis (Cooley's anemia) and ulcers of leg [Fisher & Schwartz], 523

Kierland, R. R.
Quinacrine (Atabrine) hydrochloride in treatment of discoid lupus erythematosus, *633

Kiesselbach, M. R.
Treatment of tinea capitis with salicylanilide preparations, *479

Klauder, J. V.
Generalized alopecia: hydrolyzed wool employed in treatment, 432

Koons, R. C.
Pregnenolone acetate in treatment of mycetoma (nocardiosis), *141

Koretsky, L.
Verrucous nevus or verruca plana juvenilis? 532

Kutscher, A. H.
Chloramphenicol in treatment of primary herpetic stomatitis and herpes labialis, *635

Lamb, J. H.
Pregnenolone acetate in treatment of mycetoma (nocardiosis), *141
Unusual forms of solar dermatitis, *369

Langley, R. A.
Simple scheme for deriving X-ray skin-surface dose times, *484

Laymon, C. W.
Ochronosis, *553

Leaf, V.
Urticaria pigmentosa, 531

Leeb, A. J.
Benign familial pemphigus: cytology and nosology, *77

Legs
lichen amyloidosus associated with varicose veins [Wolf], *407
ulcers: hereditary leptocytosis (Colley's anemia) with renal calculi and [Fisher & Schwartz], 523

Leider, M.
Pemphigus vulgaris under control with corticotropin for 18 months, 101
Skin changes with porphyria, 104

Leprosy
case [Ebert & Yaffe], 322
case [Machacek], 224
lepromatous type (Hansen's disease) [Pollock], 217
tuberculoid type [Higdon], 121

Leptocytosis Hereditary: See Anemia, Cooley's

Letterer-Siwe Disease: See Reticuloendotheliosis

Leucocytes
leucopenia occurring during induced malaria [Madden & Macauley], *630

Leucoplakia
[Cormia], 221

Leucotrichia: See Hair, color

Leukemia
chronic lymphatic, with secondary leukemid [Ruppe], 426

Levy, E. J.
Sarcoidosis apparently cured by quinacrine (Atabrine) hydrochloride, 640

Lewis, G. M.
Actinomycosis, 339
Case for diagnosis: dermatofibrosarcoma protuberans? 223
Generalized Trichophyton rubrum infection associated with systemic lymphoblastoma: report of 3 cases, *247
Radiodermatitis and squamous cell epithelioma, 342

Lichen
amyloidosus: associated with varicose veins [Wolf], *407
fibromucinoidosis (lichen myxedematosis) [Crossland], 122
myxedematosus (papular mucinosis): studies [Dalton & Seidell], *194
planus [Irgang], 333
planus bullosus [Tolmach], 110
planus: follicular (lichen planopilaris) [Silver & others], *346
planus: melanosis due to? [Miller], 343
simplex chronicus in Orientals [correspondence], 521
urticatus: See Urticaria, papulosa

Light
sensitivity: diseases related to [Kesten & Slatkin], *284
unusual forms of solar dermatitis [Morgan & others], *369

Lighter, A. G.
Observations on anticomplementary reactions, *362

Lingamfelter, C. S.
Treatment of tinea capitis with salicylanilide preparations, *479

Lobitz, W. C., Jr.
Physiologic studies in atopic dermatitis (disseminated neurodermatitis): local cutaneous response to intradermally injected acetylcholine and epinephrine, *575
Vitiligo with raised inflammatory border, *316

Loewe, L.
Cytology of Kaposi's sarcoma, *85

Loewenthal, K.
Effect of roentgen rays on Microsporum audouini: in vitro study, *191

Loewenthal, L. J. A.
Punch biopsy with autograft: cosmetic office procedure, *629

Loftus, T.
Hemangioendothelioma or hemangiopericytoma, 433

Lorincz, A. L.
Enteropathic acrodermatitis (Danbolt): successful treatment with Diodoquin (diiodohydroxyquinoline), 324
Rosacea with severe rosacea keratoconjunctivitis for 20 years, 321

Lupus
erythematosus? case for diagnosis [Sexton], 106
erythematosus in a Chinese [Orfuss], 219
erythematosus, chronic discoid, with dissemination [Harding], 119
erythematosus, chronic disseminated [Wolf], 329
erythematosus: chronic, treated [Cormia], 223
erythematosus, discoid: quinacrine (Atabrine) hydrochloride in treatment [O'Leary & others], *633
erythematosus: quinacrine (Atabrine) in treatment [Courville & Perry], *510
erythematosus: systemic, major and minor surgical procedures on patients with [Greenhouse], *456
miliaris disseminatus papulonecrotic tuberculid (folliclis) of exillae: hematogenous cutaneous tuberculosis [Ryan], 121
vulgaris [Bloom & Serri], 219
vulgaris [Irgang], 231
vulgaris: treated with isoniazid: preliminary report [Holsinger], *413

Luscombe, H.
Kaposi's sarcoma, 226

Lymph Nodes
benign inoculation lymphoreticulosis (cat-scratch disease): report of 2 cases with positive skin tests [Jambor & Emura], *439
lymphangitis with recurrent herpes simplex infections: report of 3 cases with virus studies in 2 [Trice & Shafer], *37

Lymphangitis: See Lymph Nodes

Lymphoblastoma
systemic, generalized trichophyton rubrum infection with: report of 3 cases [Lewis & others], *247

Lymphoreticulosis: See Lymph Nodes

Lyons, R. E.
Onychomycosis due to Microsporum lanosum: report of case, *460

Macauley, W. L.
Leucopenia occurring during induced malaria, *630

McCarthy, F. P.
Fibrosarcoma, 330

McFarland, A. R.
Mechanical trauma: study of its role in group of skin diseases reputedly influenced by trauma, *278

Machacek, G. F.
Leprosy, 224
Panniculitis in newborn child of diabetic mother with adiponecrosis of breast, 342
Sweat gland adenoma, 338

Madden, D.
Parkes Weber disease, 434

Madden, J. F.
Leucopenia occurring during induced malaria, *630
Pancreatic function and x-ray studies in psoriasis, *66

Malaria
induced, leucopenia occurring during [Madden & Macauley], *630

Malocclusion
and its effect upon oral membranes [Van Studdiford], *546

Markson, Simpson M.
obituary, 535

Melanin
melanosis of undetermined cause: lichen planus? [Miller], 343
occupational melanosis [Reiches], *616

Melanoma
nonpigmented malignant, d'emblée: report of case [Hecht], *380

Melanosis: See Melanin

Methantheline
bromide (Banthine), bromoderma due to: case for diagnosis [Epstein], 120

Microsporum
audouini: effect of roentgen rays on: in vitro study [Loewenthal], *191
lanosum: onychomycosis due to: case [Lyons], *460

Miliaria
profunda [Shelley & Hurley], 437
rubra, topical therapy in [Shelton], *634

Miller, J. L.
Melanosis of undetermined cause: lichen planus? 343

Mintzer, I. J.
Dermatological manifestations of familial autonomic dysfunction (Riley-Day syndrome), *561

Mitchell, J. H.
Keratosis follicularis—Darier's disease, 419

Molluscum Contagiosum
treated with oxytetracycline (Terramycin) [Niedelman], *84

Moniliasis
and avitaminosis [Andrews], 220

Montgomery, R. M.
Acrodermatitis chronica atrophicans: result of therapy, 336
Sporotrichosis, 332

Morgan, R. J.
Unusual forms of solar dermatitis, *369

Morris, G. E.
Use of thymol as preservative for fungi, *514

Morris, R.
Open-flash technique for dermatologic photography, *92

Morrison, M.
Cytology of Kaposi's sarcoma, *85
Mycosis fungoides: diagnosis by aspiration technique: observations in skin and bone marrow, *403

Mouth
inflammation: See Stomatitis
malocclusion and its effect upon oral membranes [Van Studdiford], *546

Mucinosis
papular (lichen myxedematosus): studies [Dalton & Seidell], *194

Mucous Membranes
chronic benign plaques on [Burgoon], 431

Murphy, E. L.
Parasoriasis en plaques (Brocq), 637

Mushroom
dermatitis: report of case [Hopkins], *632

Muskatblit, E.
Hotchkiss-McManus stain versus clearing in KOH in diagnosis of superficial mycoses, *507

Mycetoma
pregnenolone acetate in treatment [Lamb & others], *141

Mycosis: See also Trichophyton
fungoides: diagnosis by aspiration technique; observations in skin and bone marrow [Swiller & others], *403
fungoides: recrudescence after treatment with nitrogen mustard [Pillsbury & Urbach], 436
fungoides: successful treatment with antimonials [Garb], *463
Hotchkiss-McManus stain versus clearing in KOH in diagnosis of superficial mycoses [Muskatblit & others], *507
onychomycosis: See Nails

Myxeda: See also Lichen, myxedematosus
localized: "burned-out" hyperthyroidism; hypertension [Thomas], 112

Nails
folliculitis decalvans with onychomycosis [Dillaha & Tompkins], 421
onychomycosis due to Microsporum lanosum: case [Lyons], *460
Trichophyton rubrum (purpureum) infections, recalcitrant, systemic disturbances in; therapeutic experiments [Rothman], *239

Necrobiosis
case [Hyman], 111
lipoidica diabeticorum [Price], 638

Nelson, L. M.
Use of podophyllin (podophyllum resin) in dermatology, *488

Nervous System
autonomic, familial dysfunction, dermatological manifestations (Riley-Day syndrome) [Mintzer & Rubin], *561

Neurodermatitis: See also Dermatitis, atopic

Neurosyphilis
asymptomatic, multiple gummata (healed), prozone phenomenon [Appel], 533

Nevi
birthmarks in infants [Pratt], *302
blue (?) of eyelids [Hyman], 109
nevus angiomatosus [Dermatology Staff of Henry Ford Hospital], 106
nevus comedonicus in dermatome distribution [Costello], 338
sebaceous (?) [Halpern], 329
verrucous or verruca plana juvenilis? [Koretsky], 532

New, W. N.
Hereditary hemorrhagic telangiectasis, 229

Niedelman, M. L.
Molluscum contagiosum treated with oxytetracycline (Terramycin), *84

Nitrogen Mustard
in mycosis fungoides: recrudescence after treatment [Pillsbury & Urbach], 436

Nocardiosis
mycetoma, pregnenolone acetate in treatment [Lamb & others], *141

Nomenclature
dermatitis and eczema [correspondence], 99

Obituaries
Howles, James Kirby, 642
Markson, Simpson M., 535
Scheer, Max, 537

Ochronosis
[Laymon], *553

O'Leary, P. A.
Quinacrine (Atabrine) hydrochloride in treatment of discoid lupus erythematosus, *633

Onychomycosis: See under Nails

Orfuss, A. J.
Lupus erythematosus in a Chinese, 219

Orientals
lichen simplex chronicus in [correspondence], 521

Oxytetracycline (Terramycin)
local therapy of skin infections [Wright & Tschan], *125
molluscum contagiosum treated with [Niedelman], *84

Oyamada, A.
Eruptive xanthoma and hyperlipemia in glycogen storage disease (von Gierke's disease), *146

Pacific Dermatologic Association
meeting, 315

Pancreas
function in psoriasis [Madden & Karon], *66

Panniculitis
in newborn child of diabetic mother with adiponecrosis of breast [Machacek], 342

Papillomatosis
cutaneous, confluent and reticulated variety [Young], *594
verrucous elephantiasis of lower extremities with [Ronchese], 115

Parapsoriasis: See Psoriasis

Parkes Weber Disease
case [Pillsbury & Madden], 434

Pascher, F.
Basal-cell epithelioma of sole, 108
Ehlers-Danlos syndrome, 214

Pathology
dermal, diagnostic pitfalls [Caro], *18

Peck, S. M.
Aqueous solutions of sodium propionate with chlorophyll as therapeutic agent, *263

Pelzig, A.
Corticotropin and cortisone: dosage and ratio of intramuscular and intravenous corticotropin (ACTH) and oral cortisone in treatment of certain dermatoses, *61

Pelzig, A.
Essential cryoglobulinemia with purpura, 429

Pemphigus
familial, benign: cytology and nosology [Winer & Leeb], *77
in pregnancy: effect of corticotropin and cortisone [Samitz & others], *10
vulgaris: corticotropin (ACTH) and cortisone in treatment [Aquilina & others], *166; correction, 540
vulgaris under control with corticotropin for 18 months [Leider], 101

Penicillin
paradoxical effect: epithelioma in situ associated with syphilitic granuloma [Holtzman], *622
in pyogenic skin infections, given orally [Flood], *42

Periodicals
Archives of Dermatology [Gahan], *467
first American journal of dermatology [Gahan], *470

Perry, E. T.
Quinacrine (Atabrine) in treatment of lupus erythematosus, *510

Phillips, I. E.
Erythema infectiosum: outbreak in Bristol, Tennessee-Virginia, area, *628

Photography
dermatologic: open flash technique for [Morris & Crissey], *92

Pigmentation: See also Melanin
incontinentia pigmenti [Falk & Hetreed], 530
incontinentia pigmenti (?) with atrophy of skin of thighs [Fisher & Dexter], 524
ochronosis [Laymon], *553

Pillsbury, D. M.
Cushing's syndrome complicated by generalized Trichophyton rubrum infection, 436
Mycosis fungoides: recrudescence after treatment with nitrogen mustard, 436
Parkes Weber disease, 434

Pinkus, H.
Premalignant fibroepithelial tumors of skin, *598

Podophyllum
use of podophyllin (podophyllum resin) in dermatology [Nelson], *188

Poikiloderma
of Civatte [Ronchese], 533

Pollock, J. H.
Lepromatous type of leprosy (Hansen's disease), 217

Polyarteritis
nodosa and dermatitis gangrenosa [Gilman & Kaess], *184

Porokeratosis: See Keratosis

Porphyria
skin changes with [Leider], 104

Pratt, A. G.
Birthmarks in infants, *302

Pregnancy
pemphigus in: effect of corticotropin and cortisone [Samitz & others], *10

Pregnenolone
acetate in treatment of mycetoma (nocardiosis) [Lamb & others], *141

Preston, R. H.
Local tissue reactions to cortisone and hydrocortisone (compound F) in man: studies of local therapeutic effect of hydrocortisone in diseases of skin, *163

Price, H.
Necrobiosis lipoidica diabeticorum, 638

Prickly Heat: See Miliaria

Pseudopelade: See Alopecia, cicatrisata

Psoriasis
pancreatic function and x-ray studies in [Madden & Karon], *66
parasoriasis en plaques (Brocq) [Murphy], 637

Purpura
essential cryoglobulinemia with [Pelzig], 429

Quinacrine (Atabrine)
hydrochloride, sarcoidosis apparently cured by [Shaffer & others], 640
hydrochloride in discoid lupus erythematosus [O'Leary & others], *633
in lupus erythematosus [Courville & Perry], *510

Radiation
radiodermatitis and squamous cell epithelioma [Lewis], 342

Radiodermatitis: See under Radiation

Rebell, G.
Pregnenolone acetate in treatment of mycetoma (nocardiosis), *141

Reed, M.
Kaposi's sarcoma, 639

Reiches, A. J.
Occupational melanosis, *616

Rein, R. L.
New technique with old instrument, *512

Reticuloendotheliosis
Letterer-Siwe disease [Teicher], 424

Riley-Day Syndrome
familial autonomic dysfunction, dermatological manifestations [Mintzer & Rubin], *561

Robbins, S. J.
Multiple basal-cell epithelioma, 110

Robinson, H. M., Sr.
Treatment for granuloma annulare, *320

Rodin, H. H.
Porokeratosis (Mibelli), 526

Rodriquez, J.
Blastomycosis dermatitidis, 529

Roentgen Rays: See X-Rays

Ronchese, F.
Hairy tongue: report of case following use of aureomycin ointment, *503
Kaposi's sarcoma and diabetes mellitus, *95
Poikiloderma of Civatte, 533
Steatocystoma multiplex, 116
Verrucous elephantiasis of lower extremities with papillomatosis, 115

Rosacea
with severe rosacea keratoconjunctivitis for 20 years [Lorinca], 321

Rosenthal, I. H.
Eruptive xanthoma and hyperlipemia in glycogen storage disease (von Gierke's disease), *146

Rostenberg, A., Jr.
Experimental studies on sarcoidosis: persistence and survival of inoculated micro-organisms, *306

Rothman, S.
Pseudopelade, 421
Systemic disturbances in recalcitrant Trichophyton rubrum (purpureum) infections: studies and short report on therapeutic experiments, *239

Rubin, Z.
Dermatological manifestations of familial autonomic dysfunction [Riley-Day syndrome], *561

Ruppe, J. P., Jr.
Chronic lymphatic leukemia with secondary leukemid, 426

Russell, S. R.
Chromoblastomycosis: report of first case recognized in Michigan, apparently contracted in South Carolina, *129

Ryan, B. F.
Hematogenous cutaneous tuberculosis; lupus miliaris disseminatus papulonecrotic tuberculid (follicilis) of axillae, 121

Sachs, P. M.
Follicular lichen planus (lichen planopilaris), *346

Sachs, W.
Bullous congenital ichthyosiform erythroderma, *443

Salicyl Compounds
treatment of tinea capitis with salicylanilide preparations [Hopkins & others], *479

Samitz, M. H.
Pemphigus in association with pregnancy: observations of effect of corticotropin (ACTH) and cortisone on pemphigus, pregnancy, and infant, *10

Sarcoidosis
apparently cured by quinacrine (Atabrine) hydrochloride [Shaffer & others], 640

Sarcoidosis—Continued
experimental studies: persistence and survival of inoculated micro-organisms [Rostenberg & others], *306
sarcoid infiltrate? case for diagnosis [Dermatology Staff of Henry Ford Hospital], 106
treated with cortisone [Barker], 334

Sarcoma: See also Fibrosarcoma
dermatofibrosarcoma protuberans? case for diagnosis [Lewis], 223
Kaposi's [Decker & Luscombe], 226
Kaposi's [Fisher], 102
Kaposi's: cytology [Stich & others], *85
Kaposi's, and diabetes mellitus [Ronchese & Kern], *95
Kaposi's [Shaffer & Reed], 639

Schamberg, I. L.
Hemangioendothelioma or hemangiopericytoma, 433

Scheer, Max
obituary, 537

Schiff, B. L.
Granuloma annulare in identical twins, 117
Steatocystoma multiplex, 116
Steatocystoma multiplex? calcified fibromata? 117

Schorr, H. C.
Generalized granulomatous folliculitis: tuberculid? 423

Schwartz, S.
Hereditary leptocytosis (Cooley's anemia) with ulcers of leg and renal calculi, 523

Scleroderma
superficial [Biberstein], 105

Scott, M. J.
Generalized Trichophyton rubrum infection associated with systemic lymphoblastoma: report of 3 cases, *247

Scully, J. P.
Seborrheic keratosis, 114

Sebum
hair loss from [Flesch], *1

Seidell, M. A.
Studies on lichen myxedematosus (papular mucinosis), *194

Senear, F. E.
Experimental studies on sarcoidosis; persistence and survival of inoculated micro-organisms, *306

Serri, F.
Lupus vulgaris, 219

Sexton, G. B.
Case for diagnosis: lupus erythematosus? 106

Shackelford, P. O.
Pregnenolone acetate in treatment of mycetoma (nocardiosis), *141

Shaffer, B.
Kaposi's sarcoma, 639
Sarcoidosis apparently cured by quinacrine (Atabrine) hydrochloride, 640

Shafer, J. C.
Recurrent herpes simplex infections of upper extremities with lymphangitis: report of 3 cases with virus studies in 2, *37

Shelton, J. M.
Topical therapy in miliaria rubra, *634

Shields, T. L.
Squamous cell carcinoma of vulva secondary to granuloma inguinale, *395

Shackleford, P. O.
Unusual forms of solar dermatitis, *369

Shaffer, B.
Blastomycosis cutis, 437

Shelley, W. B.
Miliaria profunda, 437

Sickley, J. F.
Case for diagnosis: erythrasma or folliculitis with alopecia? 422

Sickley, J. F.
Generalized granulomatous folliculitis: tuberculid? 423

Sickley, J. F.
Urticaria pigmentosa, 531

Silver, H.
Follicular lichen planus (lichen planopilaris), *346

Silvers, H. F.
Chloramphenicol in treatment of primary herpetic stomatitis and herpes labialis, *635

Skeer, J.
Amyloid "tumor formation" of skin, *187

Skin
amyloid "tumor formation" [Holtzman & Skeer], *187
atrophy, of thighs, incontinentia pigmenti (?) with [Fisher & Dexter], 524
changes with porphyria [Leider], 104
diseases: dosage and ration of intramuscular and intravenous corticotropin and oral cortisone in treatment [Bloom & others], *61
diseases: local therapeutic effects of hydrocortisone in: (compound F) in man [Goldman & Preston], *163
diseases: mechanical trauma in [McFarland], *278
diseases: stress dermatoses: suggested integration of allergic-psychogenic dermatoses [Arnold], *566
diseases: podophyllin (podophyllum resin) in [Nelson], *488
diseases: nontuberculous chronic, vitamin D_2 in [Strakosch], *496
grafts: punch biopsy with autograft: cosmetic office procedure [Lowenthal], *629
infections: local oxytetracycline (Terramycin) therapy [Wright & Tschan], *25
infections: pyogenic, treatment with penicillin given orally [Flood], *42
manifestations of familial autonomic dysfunction (Riley-Day syndrome) [Mintzer & Rubin], *561
tumors, premalignant fibroepithelial [Pinkus], *598

Slatkin, M.
Diseases related to light sensitivity, *284

Smith, R. C.
Acneform eruption in infant after antepartum and neonatal cortisone therapy, *630

Sobel, N.
Corticotropin and cortisone: dosage and ratio of intramuscular and intravenous corticotropin (ACTH) and oral cortisone in treatment of certain dermatoses, *61

Sobel, N.
Leucotrichia, 326

Societies
dermatologic directory, 232; corrections, 438, 540
foreign, directory, 232
international, directory, 232
local, directory, 236; corrections, 438, 540
national, directory, 233
Pacific Dermatologic Association, 315
sectional, directory, 233
state, directory, 234

Society Transactions
Bronx Dermatological Society, 101, 214, 523
Chicago Dermatological Society, 321, 419, 526
Detroit Dermatological Society, 106
Manhattan Dermatologic Society, 326
Metropolitan Dermatological Society of Los Angeles, 637
New England Dermatological Society, 328, 532
New York Academy of Medicine, Section of Dermatology and Syphilis, 107, 321, 424
New York Dermatological Society, 220, 336
Philadelphia Dermatological Society, 112, 226, 431, 639
Rhode Island Dermatological Society, 115
San Francisco Dermatological Society, 118

Sodium Propionate
aqueous solutions with chlorophyll as therapeutic agent [Peck & others], *263

Spirochetes
staining with fountain pen ink: rapid and easy method [Emura], *210

Spoor, H. J.
Aqueous solutions of sodium propionate with chlorophyll as therapeutic agent, *263

Sporotrichosis
case [Montgomery], 332
produced by Sporotrichum gougeroti: report of case and review of literature [Young & Ulrich], *44

Stains and Staining
Hotchkiss-McManus stain versus clearing in KOH in diagnosis of superficial mycoses [Muskatblit & others], *507
rapid and easy method for staining spirochetes with fountain pen ink [Emura], *210

Steatocystoma
multiplex [Ronchese], 116
multiplex [Schiff], 116
multiplex or calcified fibromata? [Schiff], 117

Stich, M. H.
Cytology of Kaposi's sarcoma, *85

Stillians, A.
Erythema annulare centrifugum: its relation to internal disease, *590
Acrodermatitis chronica atrophicans, 527

Stomatitis
herpetic, primary, and herpes labialis, chloramphenicol in treatment [Zegarelli & others], 635
ulcerative [Wells], 528

Strakosch, E. A.
Sandpaper-abrasion treatment of tattoos, *53
Vitamin D_2 in treatment of nontuberculous chronic skin diseases, *496

Stress
dermatoses: suggested integration of allergic-psychogenic dermatoses [Arnold], *566

Sulfonamides
fixed drug eruption due to sulfadiazine [Ballin], 525

Sunlight: See Light, sensitivity

Sweat Glands
adenoma [Machacek], 338

Swiller, A. I.
Mycosis fungoides: diagnosis by aspiration technique; observations in skin and bone marrow, *403

Syphilis
paradoxical effect of penicilin: epithelioma in situ associated with syphilitic granuloma [Holtzman], *622
serodiagnosis: observations on anticomplementary reactions [Lighter], *362

Szymanski, F. J.
Experimental studies on sarcoidosis: persistence and survival of inoculated micro-organisms, *306

Taschdjian, C. L.
Hotchkiss-McManus stain versus clearing in KOH in diagnosis of superficial mycoses, *507

Tattooing
sandpaper-abrasion treatment of tattoos [Strakosch], *53

Teicher, R.
Reticuloendotheliosis (Letterer-Siwe disease), 424

Telangiectasis
hereditary hemorrhagic [New & Anderson], 229

Templeton, H. J.
Ultrasonic vibrations: tool for investigative dermatology, *158

Terramycin: See Oxytetracycline

Thomas, C. C.
Four apparently primary and different malignant conditions, 113
Localized myxedema: "burned-out" hyperthyroidism; hypertension, 112

Thymol
preservative for fungi [Morris], *514

Thyroid
localized myxedema: "burned-out" hyperthyroidism; hypertension [Thomas], 112

Tinea
capitis: convulsions following treatment with Asterol dihydrochloride ointment [correspondence], 519
capitis: convulsions following treatment with Asterol dihydrochloride ointment: report of case [Wallach], *517
capitis: treatment with salicylanilide preparations [Hopkins & others], *479

Tolmach, J. A.
Lichen planus bullosus, 110

Tompkins, J. K.
Folliculitis decalvans onychomycosis, 421
Pseudopelade, 421

Tongue
hairy: following use of aureomycin ointment [Ronchese & Kern], *503

Towsend, J. H.
Corticotropin (ACTH) and cortisone in treatment of pemphigus vulgaris, *166; correction, 540

Traub, E. F.
Aqueous solutions of sodium propionate with chlorophyll as therapeutic agent, *263
Case for diagnosis: bacterid? 340
Case for diagnosis: seborrheic dermatitis? 336

Trauma
mechanical, role in skin diseases [McFarland], *278
traumatic hemangioma [Appel], 328

Trice, E. R.
Recurrent herpes simplex infections of upper extremities with lymphangitis: report of 3 cases with virus studies in 2, *37

Trichophyton
rubrum infection, generalized, Cushing's syndrome complicated by [Pillsbury & Jacobson], 436
rubrum infection, generalized, with systemic lymphoblastoma: report of 3 cases [Lewis & others], *247
rubrum (purpureum) infections, recalcitrant, systemic disturbances in: therapeutic experiments [Rothman], *239

Tschan, D. N.
Local oxytetracycline (Terramycin) therapy of skin infections, *125

Tuberculid
acrodermatitis pustulosa hiemalis [Epstein], 118
generalized granulomatous folliculitis: case for diagnosis [Cornbleet & others], 423
lupus miliaris disseminatus: papulonecrotic (follicilis), of axillae; hematogenous cutaneous tuberculosis [Ryan], 121
papulonecrotic or erythema nodosum perstans? case for diagnosis [Costello], 220

Tuberculosis
hematogenous cutaneous; lupus miliaris disseminatus; papulonecrotic tuberculid (follicilis) of axillae [Ryan], 121

Tumors: See also Cancer
premalignant fibroepithelial, of skin [Pinkus], *598

Ulcers
"atrophie blanche et ulcère de jambe" [Wilson], 227
dystrophic, and stasis, in acrodermatitis chronica atrophicans: cured by ligation of saphenous veins, 335

Ulrich, E.
Sporotrichosis produced by Sporotrichum gougeroti: report of case and review of literature, *44

Ultrasounds
ultrasonic vibrations: tool for investigative dermatology [Templeton], *158

Urbach, F.
Mycosis fungoides: recrudescence after treatment with nitrogen mustard, 436

Urticaria
papulosa? (case for diagnosis) [Falk & Hetreed], 323
insulin, failure of denatured insulin in prevention: case [Hollander & Zinn], *513
pigmentosa [Briske], 123
pigmentosa [Canizares], 327
pigmentosa [Ebert & others], 531

Vander Laan, C. A.
Keratosis follicularis—Darier's disease, 419

Van Studdiford, M. T.
Malocclusion and its effect upon oral membranes, *546

Varicose Veins
lichen amyloidosus associated with [Wolf], *407

Vasculitis, Nodular
with hypertension: report of 2 cases [Irgang], *135

Veins
varicose: See Varicose Veins

Verruca
plana juvenilis or verrucous nevus? [Koretsky], 532

Vitamins
D_2: in treatment of nontuberculous chronic skin diseases [Strakosch], *496

Vitiligo
with raised inflammatory border [Buckley & Lobitz], *316
response to Meladinin [Wolf], 333

Vulva
squamous cell carcinoma, secondary to granuloma inguinale [Alexander & Shields], *395

Warts: See Verruca

Wallach, E. A.
Convulsions following treatment of tinea capitis with Asterol dihydrochloride ointment: report of case, *517

Weber, L. F.
Dermatitis venenata due to native woods, *388

Weld, J. T.
Candida albicans: rapid identification in cultures made directly from human materials, *473

Wells, G. C.
ulcerative stomatitis? 528

Westfall, P. P.
Amyloidosis cutis (macular), 428
Amyloidosis (papular), 429

Wilson, J. F.
Acrodermatitis perstans (Hallopeau), 228
"Atrophie blanche et ulcère de jambe," 227
Erythema elevatum diutinum (eosinophilic granuloma type), 230
Juvenile xanthoma, 438

Winer, L. H.
Benign familial pemphigus: cytology and nosology, *77

Wolf, J.
Vitiligo: response to Meladinin, 333

Wolf, M.
Lichenamyloidosus associated with varicose veins, *407

Wolf, W.
Chronic disseminated lupus erythematosus, 329

Woods
native, dermatitis venenata due to [Weber], 388

Wool
hydrolyzed, in treatment of generalized alopecia [Klauder & Gross], 432

Wooldridge, W. E.
Progressive bacterial synergistic gangrene: report of case uncontrolled by systemic administration of bacitracin, *56

Wright, C. S.
Local oxytetracycline (Terramycin) therapy of skin infections, *125

Wuertz, R. L.
Corticotropin (ACTH) and cortisone in treatment of pemphigus vulgaris, *166; correction, 540

Xanthoma
eruptive, and hyperlipemia in glycogen storage disease (von Gierke's disease) [Zakon & others], *146
juvenile [Wilson], 438
tuberosum (essential familial hypercholesteremia) [Cramer], 427

X-Rays
dosage: simple scheme for deriving x-ray skin-surface dose times [Langley], *484
effect on Microsporum audouini: in vitro study [Loewenthal], *191

Yaffe, B.
leprosy, 322

Young, A. W., Jr.
Cutaneous papillomatosis: confluent and reticulated variety, *594

Young, J. M.
Sporotrichosis produced by Sporotrichum gougeroti: report of case and review of literature, *44

Zakon, S. J.
Eruptive xanthoma and hyperlipemia in glycogen storage disease (von Gierke's disease), *146

Zegarelli, E. V.
Chloramphenicol in treatment of primary herpetic stomatitis and herpes labialis, *635

Zinn, L. D.
Failure of denatured insulin in prevention of urticaria caused by insulin: report of case, *513

A. M. A.
ARCHIVES OF
DERMATOLOGY AND SYPHILOLOGY

EDITORIAL BOARD

PAUL A. O'LEARY, Chief Editor
102 Second Avenue S. W., Rochester, Minn.

HERBERT RATTNER, Associate Editor, Chicago

NELSON PAUL ANDERSON, Los Angeles
GEORGE M. LEWIS, New York
H. E. MICHELSON, Minneapolis
A. C. CIPOLLARO, New York
J. LAMAR CALLAWAY, Durham, N. C.

VOLUME 68
1953

PUBLISHERS
AMERICAN MEDICAL ASSOCIATION
CHICAGO 10, ILL.

CONTENTS OF VOLUME 68

JULY 1953. NUMBER 1

PAGE

Reticuloendothelial Cell Hyperplasia in Relation to Antimonial Therapy of Mycosis Fungoides. John Garb, M.D., and Charles F. Sims, M.D., New York 1

Clinical Evaluation of Topically Applied Estrogen Cream in Acne Vulgaris. H. H. Sawicky, M.D., New Rochelle, N. Y.; Julius L. Danto, M.D., and W. Stuart Maddin, M.D., Vancouver, B. C., Canada 17

Angiokeratoma Corporis Diffusum. M. Ruiter, M.D., Groningen, The Netherlands 21

Changes of Climate and Environment in Treatment of Dermatologic Diseases: Effect on Neurodermatitis and Certain Other Chronic Dermatoses. Leslie M. Smith, M.D., and H. D. Garrett, M.D., El Paso, Texas 28

Epidemic Favus of the Glabrous Skin. Irving M. Fishman, M.D., Jamaica, N. Y. 38

Ocular Psoriasis: Clinical Review of Eleven Cases and Some Comments on Treatment. Robert Kaldeck, M.D., Lowell, Mass. 44

Eosinophilic Response After Injunction of Hydrocortisone Ointment: Experiments Demonstrating Lack of Significant Absorption and of Systemic Effects. C. Conrad Smith, M.D., Augusta, Ga., with the Technical Assistance of Florence Simms, B.A., and Yaroslava Luszpynsky, M.S., New York 50

Problems of Military Dermatology. Robert R. Kierland, M.D., Rochester, Minn. 54

Physical Allergies. Robert R. Kierland, M.D., Rochester, Minn. 61

Etiology of Nummular Eczema. L. P. Fowle, M.D., and J. W. Rice, Ph.D., Lewisburg, Pa. 69

Clinical Notes, New Instruments and Techniques:

- Use of Heparin in Treatment of Psoriasis. Louis G. Jekel, M.D., Phoenix, Ariz. 80
- Dermatitis Due to Dermanyssus Gallinae of Pigeons. Evelyn Rockwell, M.D., Cincinnati 82
- New Antibacterial Detergent for Common Skin Diseases in Children: Use in Prophylaxis and Treatment. Arthur Lipschutz, M.D., and Regina M. Fitti, M.D., Philadelphia 83
- Granular Cell Myoblastoma: Report of a Case. George M. Lewis, M.D., New York, and Michael J. Scott, M.D., Seattle 86
- Toxic Psychosis Following Use of Stilbamidine in Blastomycosis. R. R. Forsey, M.D., F.R.C.P.(C), and R. Jackson, M.D., Montreal, Canada 89

Society Transactions:

- Chicago Dermatological Society 91
- Cleveland Dermatological Society 99
- Minnesota Dermatological Society 101

News and Comment 111

Directory of Dermatologic Societies 112

AUGUST 1953. NUMBER 2

Complement in Disseminated (Systemic) Lupus Erythematosus. Joseph A. Elliott Jr., M.D., and Don R. Mathieson, M.D., Rochester, Minn. 119

Fluorescence of Microsporum Audouini-Infected Hair: I. Chemical and Spectroscopic Studies. Harry M. Robinson Jr., M.D.; Frank H. J. Figge, Ph.D., and Eugene S. Bereston, M.D., Baltimore 129

AUGUST—*Continued*

PAGE

Capillary Microscopic Examination in Skin Diseases. Oscar Gilje, M.D.; Paul A. O'Leary, M.D., and Edward J. Baldes, Ph.D., Rochester, Minn. 136

Use of Chemosurgery in Dermatological Practice. C. J. Lunsford, M.D.; H. J. Templeton, M.D.; H. V. Allington, M.D., and R. R. Allington, M.D., Oakland, Calif. 148

Arthropods of Dermatological Interest. Orlando Canizares, M.D., and Harry Shatin, M.D., New York 157

Studies of Plasma Changes in Skin Diseases by Paper Chromatography. F. Kalz, M.D.; P. Telner, M.D.; J. H. Quastel, D.Sc., F.R.S., and S. F. Van Straten, Ph.D., Montreal, Canada 167

Autosensitization Dermatitis: Discussion and Protocol of an Experiment. Carl Edward Lipschultz, M.D., Beverly Hills, Calif. 178

Malignant Granuloma of the Face. Norman E. Levan, M.D., Bakersfield, Calif. 187

Clinical Notes, New Instruments and Techniques:

Efocaine in Control of Pruritus. Samuel R. Perrin, M.D., Pittsburgh 201

Granuloma Annulare in Identical Twins. Bencel L. Schiff, M.D., Pawtucket, R. I., and William B. Cohen, M.D., Providence, R. I. 205

Nonsurgical Treatment of Birthmarks by Tattooing. Arno Leshin, M.D., Chicago 208

Chronic Discoid Lupus Erythematosus Complicated by Superimposed Squamous Cell Epithelioma: Report of a Case. Irving N. Holtzman, M.D., Brooklyn 209

Failure of Smallpox Vaccine in Treatment of Recurrent Aphthous Stomatitis. Austin H. Kutscher, D.D.S.; Stanley L. Lane, M.D., D.D.S., and Edward V. Zegarelli, D.D.S., M.S., New York 212

Nonsurgical Treatment of Cutaneous Beryllium Granuloma. A. A. Fisher, M.D., Woodside, N. Y. 214

Sycosis Barbae Due to Trichophyton Rubrum (Purpureum): Report of a Case. Jacob S. Ludwig, M.D., York, Pa. 216

Society Transactions:

Chicago Dermatological Society 219

Manhattan Dermatological Society 225

Minnesota Dermatologic Society 229

New York Dermatological Society 230

Obituaries:

Harry Pincus Jacobson, M.D. 237

Martin Thomas Van Studdiford, M.D. 238

News and Comment 240

Books 240

SEPTEMBER 1953. NUMBER 3

Chondrodermatitis Nodularis Chronica Helicis: Report of Ninety-Four Cases and Survey of Literature, with Emphasis upon Pathogenesis and Treatment. Victor D. Newcomer, M.D.; Charles George Steffen, M.D.; Thomas H. Sternberg, M.D., and Louis Lichtenstein, M.D., Los Angeles 241

Action of Cortisone on Skin of Experimental Animals: Investigations on Protection Against Several Types of Injury to the Skin. J. M. Hitch, M.D., Raleigh, N. C. 256

Dermatitis of the Hands: Etiology and Principles of Treatment, with Observations Concerning a Hyperkeratotic Dermatitis of the Volar Skin. Richard L. Sutton Jr., M.D., Kansas City, Mo., and Samuel Ayres Jr., M.D., Los Angeles 266

Carcinoma of Limbus: Report of 19 Cases Treated with Radium and Effect of Gamma Radiation upon Eye. Everett R. Seale, M.D., Houston, Texas 286

Topical Use of Polymyxin-Bacitracin Ointment in Dermatology. Roy L. Kile, M.D.; Evelyn Rockwell, M.D., and Jan Schwarz, M.D., Cincinnati 296

Tyrotrace in Topical Therapy. J. Lowry Miller, M.D.; Harry Van Velsor, M.D., and Balbina A. Johnson, A.B., New York 303

SEPTEMBER—*Continued*

PAGE

Fluorescence of Microsporum Audouini-Infected Hair: II. Cultural Studies. Harry M. Robinson Jr., M.D.; Frank H. J. Figge, Ph.D., and Eugene S. Bereston, M.D., Baltimore 311

Dysidrosis (Pompholyx). Walter B. Shelley, M.D., Ph.D., Philadelphia 314

Skin Hemangioma and Retrolental Fibroplasia. George C. Andrews, M.D., and Anthony N. Domonkos, M.D., New York 320

Desensitization of the Penicillin-Sensitive Patient. Lee J. Alexander, M.D., Dallas, Texas 323

Fatal Shwartzman Reaction During Antibiotic Therapy. Lawrence M. Nelson, M.D., and Edithmae Braslow, M.D., Santa Barbara, Calif. 328

Clinical Notes, New Instruments and Techniques:
- Cheilitis Due to Coffee. Emmett S. Lupton, M.D., Greensboro, N. C. 333
- Nikolsky Sign: Page from "Notable Contributors to the Knowledge of Dermatology." Herman Goodman, M.D., New York 334
- Trichophyton Sulfureum in Southern Ohio Area. Claudia R. Simon, M.D., and Jan Schwarz, M.D., Cincinnati 335
- Angular Stomatitis Treated with Silicote Ointment. A. J. Reiches, M.D., St. Louis 336
- Treatment of Pustular Psoriasis and Pustular Bacterid with Quinacrine (Atabrine). Frank E. Cormia, M.D., New York, and Maurice H. Noun, M.D., Des Moines, Iowa 337

Society Transactions:
- Cleveland Dermatological Society 339
- Manhattan Dermatologic Society 341
- Metropolitan Dermatological Society of Los Angeles 348
- New England Dermatological Society 349
- New York Academy of Medicine, Section of Dermatology and Syphilis 351
- Rhode Island Dermatological Society 355
- San Francisco Dermatological Society 360

News and Comment 361

Books 362

OCTOBER 1953, NUMBER 4

Sherlock Holmes as a Dermatologist, with Remarks on the Life of Dr. Joseph Bell and the Sherlockian Method of Teaching. Joseph V. Klauder, M.D., Philadelphia 363

Streptomycin in Treatment of Cutaneous Tuberculosis. Leon Adoni, M.D., Istanbul, Turkey 378

Carbuncle Caused by Gaffkya Tetragena Treated with Oxytetracycline (Terramycin). Israel Zeligman, M.D., Med.Sc.D., and Sabino J. Sinesi, M.D., Baltimore 382

Observations on Peripheral Circulation in Psoriasis. Stanley E. Huff, M.D., and Henry Longstreet Taylor, Ph.D., Minneapolis 385

Corrective Surgical Planing of Skin: New Technique for Treatment of Acne Scars and Other Skin Defects. Abner Kurtin, M.D., New York 389

Multiple Superficial Epitheliomatosis: Spectroscopic Study. William A. Rosenberg, M.D., Chicago 398

Role of Colloidal Oatmeal in Dermatologic Treatment of the Aged. Melvin L. Grais, M.D., Minneapolis 402

Correlation of Rate of Growth with Histologic Characteristics of Basal Cell Carcinoma. Henry A. Teloh, M.D., M.S., Evanston, Ill. 408

Isoniazid in the Treatment of Chronic Lupus Erythematosus. Bernard Appel, M.D.; G. Robert Baler, M.D., and Edward F. Dougherty, M.D., Boston 417

Pseudoainhum: Report of Congenital Case Involving Several Fingers and Left Wrist. Adrian Neumann, M.D., Long Island City, N. Y. 421

OCTOBER—*Continued*

PAGE

Inhibition of Tyrosine-Tyrosinase Reaction by Microsporum Audouini: Preliminary Report. Harry M. Robinson Jr., M.D.; Frank H. J. Figge, Ph.D., and Eugene S. Bereston, M.D., Baltimore 428

Axillary Odor: Experimental Study of the Role of Bacteria, Apocrine Sweat, and Deodorants. Walter B. Shelley, M.D., Ph.D.; Harry J. Hurley Jr., M.D., and Anna C. Nichols, M.S., Philadelphia 430

Society Transactions:
- Bronx Dermatological Society 447
- Chicago Dermatological Society 456
- New York Academy of Medicine, Section on Dermatology and Syphilis 463
- Philadelphia Dermatological Society 471

News and Comment 479

NOVEMBER 1953. NUMBER 5

Contributions to the Study of Pemphigus. Joseph G. Brennan, M.D., Rochester, Minn. 481

Psychosomatic Dermatology Circa 1850. Samuel D. Allison, M.D., Honolulu, T. H. 499

Primary Pustular Gonorrhea of the Skin. Jerome L. Byers, M.D., and David F. Bradley, M.D., New Orleans 503

Personality Factors in Adult Atopic Eczema. James T. McLaughlin, M.D.; Robert J. Shoemaker, M.D., and William B. Guy, M.D., Pittsburgh 506

Heredity of Multiple Benign Cystic Epithelioma: "The Indiana Family." L. Edward Gaul, M.D., Evansville, Ind. 517

Treatment of Eczema with Cortisone Ointment. Hermann Vollmer, M.D., New York 525

Influence of Local Factors on Cutaneous Injury and Healing. F. B. Benjamin, D.M.D., M.S., and Theodore Cornbleet, M.D., Chicago 530

Isoniazid (Nydrazid) in Treatment of Cutaneous Diseases: Cutaneous Tuberculosis, Leprosy, Sarcoidosis, and Miscellaneous Dermatoses. Frank E. Cormia, M.D.; Maurice J. Costello, M.D.; Leslie P. Barker, M.D.; Carl T. Nelson, M.D.; Edward W. Wilson, M.D., and Jean A. Cramer, M.D., New York 536

Influence of Pressure on Nodules of Xanthoma Tuberosum. Thomas Butterworth, M.D., Reading, Pa. 545

Influence of X-Ray Cones on the Dose. Stephan Epstein, M.D.; J. M. Wickham, M.D., and Wolfgang Epstein, B.A., Marshfield, Wis. 549

Low Incidence of Dermographism in Subacute and Chronic Urticaria. A. A. Fisher, Woodside, N. Y., and Sidney Schwartz, New York 553

Isoniazid Therapy of Chronic Dermatoses. Lawrence C. Goldberg, M.D., and Claudia R. Simon, M.D., Cincinnati 556

Laboratory Test for Evaluation of Fungicidal Solutions. Colonel Robert E. Lyons, Medical Corps, United States Air Force, and Clarence S. Livingood, M.D., Galveston, Texas ... 566

Clinical Notes, New Instruments and Techniques:
- Fungicidal Activity of Diphenylpyraline. John Van De Erve Jr., M.D., Charleston, S. C. 572
- Recurrent, Fixed Erysipelas-like Dermatophytid: Ineffectiveness of Antibiotics Reported in a Case. Captain M. Paul Lazar, Medical Corps, United States Army 574
- Healing of Chronic Sicklemia Leg Ulcers with Cortisone Therapy. Samuel M. Rice, M.D., Warrendale, Pa. 576
- Method of Staining Fungi in Cutaneous Material After Clearing with Potassium Hydroxide. Claire L. Taschdjian, B.S., Brooklyn, and Emanuel Muskatblit, M.D., New York 579
- Use of Duplast in Radiation Therapy. J. W. Calvert, M.D., Bluefield, W. Va. 582
- Tinea Capitis and Corporis in an Infant Four Weeks Old. Eugene S. Bereston, M.D., and Harry M. Robinson Jr., M.D., Baltimore 582

NOVEMBER—*Continued*

PAGE

Eczematous Hypersensitivity to Coal Tar: Report of Three Cases. Claudia R. Simon, M.D., and Robert Brandt, M.D., Cincinnati 584

Conization Treatment of Insect-Bite Granuloma. Captain E. Randolph Trice, Medical Corps, United States Army 586

Poikilodermatomyositis with Calcinosis Cutis. Flaviano Silva, M.D.; Adriano De Azevedo Pondé, M.D., and Francisco Lichtenberg, M.D., Bahia, Brazil 588

Formation of Milia Following Abrasive Treatment for Postacne Scarring. Samuel Monash, M.D., and Rafael M. Rivera, M.D., New York 589

Localized Congenital Absence of the Skin. Leon Goldman, M.D., Cincinnati 590

The Centenary of the Hypodermic Syringe: 1853-1953. Samuel J. Zakon, M.D., Chicago 591

Society Transactions:

Bronx Dermatological Society 592

Chicago Dermatological Society 594

New York Academy of Medicine, Section on Dermatology and Syphilis 597

New York Dermatological Society 608

Philadelphia Dermatological Society 614

Obituaries:

Harry E. Alderson, M.D. 617

DECEMBER 1953. NUMBER 6

Atopic Dermatitis: A Study of Its Natural Course and of Wool as a Dominant Allergenic Factor. Earl D. Osborne, M.D., and Philip F. Murray, M.D., Buffalo 619

Asterol Treatment of Superficial Dermatomycoses Due to T. Mentagrophytes and T. Purpureum. Edmond Edelson, M.D., and Aaron H. Haskin, M.D., M.P.H., with the Technical Assistance of William B. Ignatoff and Edith Titsworth, B.S., Newark, N. J. .. 627

Neomycin Lotion in Treatment of Cutaneous Bacterial Infections. M. Allen Forbes Jr., M.D., with the Technical Assistance of Hazel G. Cook, M.T. (A. S. C. P.), B.A., Austin, Texas 631

Cathode Ray Treatment for Lymphomas Involving the Skin. Hugh F. Hare, M.D., Los Angeles; John L. Fromer, M.D., Boston; John G. Trump, Sc.D.; Kenneth A. Wright, B.A., B.S., and John H. Anson, M.S., Cambridge, Mass. 635

Comparison of Effects of Soaps and Synthetic Detergents on Hands of Housewives: Clinical Method. Sture A. M. Johnson, M.D., Madison, Wis.; Roy L. Kile, M.D.; D. J. Kooyman, Ph.D.; H. S. Whitehouse, Ph.D., and J. S. Brod, Ph.D., Cincinnati .. 643

Quinacrine Hydrochloride (Atabrine) in the Treatment of Lupus Erythematosus. Robert R. Kierland, M.D.; Louis A. Brunsting, M.D., and Paul A. O'Leary, M.D., Rochester, Minn. 651

Superficial Fungus Infections in Infants. William C. King, M.D.; Ida K. Walton, M.D., Clarence S. Livingood, M.D., Detroit 664

Improvement in Technique of Dopa Reaction. Giulio Radaeli, M.D., Genoa, Italy 668

Metabolic Calcinosis in the Newborn: Report of a Case. Bencel L. Schiff, M.D., Pawtucket, R. I., and Arthur B. Kern, M.D., Providence, R. I. 672

Etiology of Superficial Mycoses in Midwestern United States. James C. Sisk, M.D., St. Louis; Wilfred E. Wooldridge, M.D., Springfield, Mo., and John H. Lamb, M.D., Oklahoma City 681

Occurrence of Gynecomastia in Conjunction with Dermatologic Disorders. Clayton E. Wheeler, M.D.; Edward P. Cawley, M.D.; Henry T. Gray, M.D., Charlottesville, Va., and Arthur C. Curtis, M.D., Ann Arbor, Mich. 685

Pulmonary Hilar Enlargement Associated with Weber-Christian Disease: Report of a Case. Milton Dorfman, M.D., Chicago 693

Effect of Splenectomy in Acute Systemic Lupus Erythematosus. Harold M. Johnson, M.D., Honolulu, T. H. 699

DECEMBER—*Continued*

PAGE

Effect of Cortisone and Corticotropin on Prognosis of Systemic Lupus Erythematosus: Survey of Eighty-Three Patients with Positive Plasma L. E. Tests. John R. Haserick, M.D., Cleveland ... 714

Clinical Notes, New Instruments and Techniques:

Mechanical Adjuvant for Dermatological Baths. Lieutenant Colonel William N. Piper and Lieutenant Colonel John F. Kuitert, Medical Corps, United States Army... 726

Paraaminobenzoic Acid as a Sunscreen. Alexander A. Fisher, M.D., Woodside, L. I... 728

Tarsonemus Confusus: Contaminant of Fungus Cultures. Frederick Reiss, M.D., and Leona Caroline, A.B., New York... 728

Substitute for Liquid Nitrogen. Edward J. Ringrose, M.D., Berkeley, Calif... 730

Society Transactions:

Cincinnati Dermatological Society... 731

New York Academy of Medicine, Section of Dermatology and Syphilis... 744

INDEX TO VOLUME 68

The asterisk (*) preceding the page number indicates an original article. Subject entries are made for all articles. Author entries are made for original articles and society transactions. Book Reviews, Obituaries, and Society Transactions are indexed under these headings in their alphabetical order under the letters B, O, and S, respectively. Articles for which only the authors and titles are included in the Society Transactions are not indexed.

Abdomen
seborrheic verruca of left upper quadrant of 2 years' duration [Ruppe], 602

Abnormalities and Deformities: See under names of diseases, organs, and regions

Abrasion
formation of milia following abrasive treatment for postacne scarring [Monash & Rivera], 589

Acanthoma
multiple (tumor-like keratosis of Poth) [New & Horton], 475

Acne
formation of milia following abrasive treatment for postacne scarring [Monash & Rivera], 589
scars, new technique for treatment: corrective surgical planning [Kurtin], *389
vulgaris: clinical evaluation of topically applied estrogen cream in [Sawicky & others], *17

Acrodermatitis
chronica atrophicans and hyperpigmentation of skin resembling Riehl's malanosis: scrofuloderma and tuberculous sinus treated successfully with isoniazid (Nydrazid) [Costello], 600

Actinic Rays: See Ultraviolet Rays

Adenoma
sebaceum [Machacek], 746

Adoni, L.
Streptomycin treatment of cutaneous tuberculosis, *378

Adrenals
adrenogenital syndrome: hyperhidrosis of hands and feet [Torre], 352

Adrenogenital Syndrome: See Adrenals

Ainhum
pseudoainhum: congenital case involving several fingers and left wrist [Neumann], *421

Alderman, M.
Lymphoma of upper and lower extremities and back of 5 years' duration, 605

Alderson, Harry E.
obituary, 617

Alexander, L. J.
Desensitization of penicillin-sensitive patient, *323; correction, 480

Allergy
autosensitization dermatitis: discussion and protocol of experiment [Lipschultz], *178
desensitization of penicillin-sensitive patient [Alexander], *323; correction, 480
physical [Kierland], *61

Allington, H. V.
Use of chemosurgery in dermatological practice, *148

Allington, R. R.
Use of chemosurgery in dermatological practice, *148

Allison, S. D.
Psychosomatic dermatology circa 1850, 499

Alopecia
prematura [Traub], 608

American Academy of Dermatology and Syphilology, 479

Amidines: See Stilbamidine

Andrews, G. C.
Skin hemangioma and retrolental fibroplasia, *320

Anemia
sickle cell: healing of chronic sicklemia leg ulcers with cortisone therapy [Rice], 576

Angiokeratoma
corporis diffusum [Ruiter], *21; correction, 480

Angioma
Sturge-Weber syndrome [Lowenfish], 748

Anson, J. H.
Cathode ray treatment for lymphomas involving skin, *635

Antibiotics
fatal Shwartzman reaction during therapy [Nelson & Braslow], *328
recurrent, fixed erysipelas-like dermatophytid: ineffectiveness reported in case [Lazar], 574

Antimony and Antimony Compounds
reticuloendothelial cell hyperplasia in relation to antimonial therapy of mycosis fungoides [Garb & Sims], *1

Apparatus
corrective surgical planning of skin: new technique for treatment of acne and other skin defects [Kurtin], *389
mechanical adjuvant for dermatological baths [Piper & Kultert], *726

Appel, B.
Isoniazid in treatment of chronic lupus erythematosus, *417

Appell, H. S.
Case for diagnosis: xeroderma pigmentosum? 466

Armed Forces: See Military Medicine

Arthropods
of dermatological interest [Canizares & Shatin], *157

Asterol
treatment of superficial dermatomycoses due to T. mentagrophytes and T. purpureum [Edelson & Haskin], *627

Atabrine: See Quinacrine

Autosensitization: See Allergy

Awards
prize essay contest in dermatology, 361

Axilla
odor: experimental study of role of bacteria, apocrine sweat, and deodorants [Shelley & others], *430

Ayres, S., Jr.
Dermatitis of hands: etiology and principles of treatment, with observations concerning hyperkeratotic dermatitis of volar skin, *266

Babalian, L.
Primary inoculation tuberculosis and erythema nodosum, 349

Bacitracin
polymyxin-bacitracin ointment, topical use in dermatology [Kile & others], *296
tyrotrace (combination of tyrothricin and bacitracin) in topical therapy [Miller & others], *303

Bacteria
role in axillary odor: experimental study [Shelley & others], *430

Bacterid
pustular: treatment with quinacrine (Atabrine) [Cormia & Noun], *337

Baldes, E. J.
Capillary microscopic examination in skin diseases, *136

Baldness: See Alopecia

Baler, G. R.
Isoniazid in treatment of chronic lupus erythematosus, *417

Bandages: See Dressings

Barker, L. P.
Case for diagnosis: pyoderma? onychomycosis? psoriasis? 233
Isoniazid (Nydrazid) in treatment of cutaneous diseases: cutaneous tuberculosis, leprosy, sarcoidosis, and miscellaneous dermatoses, 536

Baths
dermatological: mechanical adjuvant for [Piper & Kultert], *726

Bechet, P. E.
Lichen ruber moniliformis, 614

Bell, Joseph
prototype of Sherlock Holmes, *363

Bembenista, J.
Lichen myxedematosis, 100

Benjamin, F. B.
Influence of local factors on cutaneous injury and healing, 530

Bennett, J.
Localized scleroderma in father and daughter, 360

Bereston, E. S.
Fluorescence of Microsporum audouini-infected hair: chemical and spectroscopic studies, *129
Fluorescence of Microsporum audouini-infected hair: cultural studies, *311
Inhibition of tyrosine-tyrosinase reaction by Microsporum audouini, *428
Tinea capitis and corporis in infant 4 weeks old, 582

Beryllium
granuloma, cutaneous, nonsurgical treatment [Fisher], *214
poisoning: establishment of beryllium case registry, 479

Bielinski, S.
Blastomycosis, 221
Sarcoidosis? 219

Birthmarks: See Nevi

Blastomycosis: See also Moniliasis
case for diagnosis [Rattner & others], 221
cutaneous, treated with Stilbamidine [Marshak], 94
Stilbamidine in [Rodriquez], 95
Stilbamidine in, toxic psychosis following use [Forsey & Jackson], *89

Blindness
congenital of left eye, case of multiple superficial hemangiomata [Reyes], 607

Blood
cholesterol: generalized steatoma associated with hypercholesteremia [Lewis], 230
circulation: peripheral, in psoriasis [Huff & Taylor], *385
fats and lipids: essential hyperlipemia with xanthomatosis [Frazier], 350
studies of plasma changes in skin diseases by paper chromatography [Kalz & others], *167

Bloom, D.
Pemphigus vulgaris complicated by diabetes, treated with corticotropin and cortisone, 347

Bluefarb, S.
Acute disseminated lupus erythematosus, 594

Book Reviews
Dermatological Formulary: A. L. Welsh, 362
Emotional Factors in Skin Diseases: E. Wittkower and B. Russell, 362
Tumors of Skin: Benign and Malignant: J. J. Eller and W. D. Eller, 240

Bradley, D. F.
Primary pustular gonorrhea of skin, 503

Braitman, M.
Tuberculoid leprosy, 463

Brandt, R.
Eczematous hypersensitivity to coal tar: report of 3 cases, 584

Braslow, E.
Fatal Shwartzman reaction during antibiotic therapy, *328

Breast
hypertrophy: occurrence in conjunction with dermatologic disorders [Wheeler & others], *685
neurofibromatosis and adenocarcinoma of (male) [Ronchese], 359

Brennan, J. G.
Contributions to study of pemphigus, 481

Brod, J. S.
Comparison of effects of soaps and synthetic detergents on hands of housewives: clinical method, *643

Brooking, D.
Lupus erythematosus (treated with quinacrine hydrochloride [Atabrine dihydrochloride]), 351

Brunsting, L. A.
Quinacrine hydrochloride (Atabrine) in treatment of lupus erythematosus, *65'

Buchholz, A. M.
Papular myxedema (papular mucinosis), 461

Burdick, K. H.
Systemic lupus erythematosus: failure of quinacrine to maintain cortisone- and corticotropin-induced remission, 340

Butterworth, T.
Hapalonychia (case for diagnosis), 474
Influence of pressure on nodules of xanthoma tuberosum, 545

Byers, J. L.
Primary pustular gonorrhea of skin, 503

Calcification
metabolic calcinosis in newborn [Schiff & Kern], *672
poikilodermatomyositis with calcinosis cutis [Silva & others], 588

Calvert, J. W.
Use of Duplast in radiation therapy, 582

Cancer: See also Epithelioma; Melanoma
basal cell carcinoma: correlation of rate of growth with histologic characteristics [Teloh], *408
of limbus: 19 cases treated with radium: effect of gamma radiation upon eye [Seale], *286
use of chemosurgery in dermatological practice [Lunsford & others], *148

Canizares, O.
Arthropods of dermatological interest, *157
Congenital cicatrizing annular band of forearm, 341

Capillaries
microscopic examination in skin diseases [Gilje & others], *136

Carbuncle
caused by Gaffkya tetragena treated with oxytetracycline (Terramycin) [Zeligman & Sinesi], *382

Carcinoma: See Cancer

Caroline, L.
Tarsonemus confusus: contaminant of fungus cultures, *728

Cawley, E. P.
Occurrence of gynecomastia in conjunction with dermatologic disorders, *685

Cheilitis: See Lips

Chemosurgery
use in dermatological practice [Lunsford & others], *148

Children
new antibacterial detergent for common skin diseases in: use in prophylaxis and treatment [Lipschutz & Fitti], *83

Chlormerodrin
Neomycin lotion in treatment of cutaneous bacterial infections [Forbes], *631

Chonrodermatitis Nodularis Chronica Helicis
report of 94 cases; survey of literature; pathogenesis and treatment [Newcomer & others], *241

Chromatography
paper, studies of plasma changes in skin diseases by [Kalz & others], *167

Cipollaro, A. C.
Case for diagnosis (macular atrophy secondary to chronic pyoderma?), 612
Nevocarcinoma, 234
Tinea capitis (Trichophyton cerebriforme), 226
Tinea capitis (Trichophyton cerebriform or crateriform), 231

Climate
and environment changes in treatment of dermatologic diseases: effect on neurodermatitis and certain other chronic dermatoses [Smith & Garrett], *28

Coal Tar: See Tar

Cobalt
hypersensitivity to, 740

Coffee
cheilitis due to [Lupton], *333

Cohen, D.
Sarcoidosis? 219

Cohen, W. B.
Granuloma annulare in identical twins, *205

Cole, H. N.
Sporotrichosis de Beurmann (now healed), 99

Cole, H. N., Jr.
Sporotrichosis de Beurmann (now healed), 99

Colloids
role of colloidal oatmeal in dermatologic treatment of aged [Grais], *402

Complement
in disseminated (systemic) lupus erythematosus [Elliott & Mathieson], *119

Cormia, F. E.
Isoniazid (Nydrazid) in treatment of cutaneous diseases: cutaneous tuberculosis, leprosy, sarcoidosis, and miscellaneous dermatoses, 536
Lymphoblastoma (mycosis fungoides?), 614
Treatment of pustular psoriasis and pustular bacterid with quinacrine (Atabrine), *337

Cornbleet, T.
Influence of local factors on cutaneous injury and healing, 530
Sarcoidosis? 219
Sarcoidosis (by biopsy), 219
Secondary syphilis, 222

Corticotropin
and cortisone: effect on prognosis of systemic lupus erythematosus: survey of 83 patients with positive plasma L. E. tests [Haserick], *714
in pemphigus foliaceus [Director & Rogachefsky], 469
pemphigus vulgaris complicated by diabetes treated with [Bloom], 347
therapy in mycosis fungoides [Lewis], 609

Cortisone
action on skin of experimental animals: investigations on protection against several types of injury to skin [Hitch], *256
and corticotropin: effect on prognosis of systemic lupus erythematosus: survey of 83 patients with positive plasma L. E. tests [Haserick], *714
herpes gestationis (Rh-positive, type O) treated with [Fisher], 449
ointment, treatment of eczema with [Vollmer], 525
in pemphigus foliaceus [Director & Rogachefsky], 469
pemphigus vulgaris complicated by diabetes, treated with [Bloom], 347
therapy in healing of chronic sicklemia leg ulcers [Rice], 676

Costello, M. J.
Basal-cell epithelioma in Negro, 346
Case for diagnosis (unusual form of erythema multiforme confined to upper respiratory and possibly to digestive tract?), 611
Isoniazid (Nydrazid) in treatment of cutaneous diseases: cutaneous tuberculosis, leprosy, sarcoidosis, and miscellaneous dermatoses, 536
Leprosy (lepromatous type) improved by isoniazid (Nydrazid; isonicotinic acid hydrazid), 225
Leprosy: tuberculoid type, treated unsuccessfully with isoniazid (Nydrazid) and diplopia caused by leprosy, 597
Scrofuloderma and tuberculous sinus treated successfully with isoniazid (Nydrazid): acrodermatitis chronica atrophicans and hyperpigmentation of skin resembling Riehl's melanosis, 600
Tinea capitis (Trichophyton tonsurans) of scalp in child, 345

Cramer, J. A.
Isoniazid (Nydrazid) in treatment of cutaneous diseases: cutaneous tuberculosis, leprosy, sarcoidosis, and miscellaneous dermatoses, 536

Cryotherapy
substitute for liquid nitrogen in [Ringrose], *730

Curtis, A. C.
Occurrence of gynecomastia in conjunction with dermatologic disorders, *685

Curtis, E. S.
Chronic discoid lupus erythematosus, 340

Danto, J. L.
Clinical evaluation of topically applied estrogen cream in acne vulgaris, *17

Davidson, G.
Primary inoculation tuberculosis and erythema nodosum, 349

Dementia Paralytica
tabetic crisis, treated with intravenous corticotropin (ACTH) [Weiner], 731

Deodorants
and axillary odor: experimental study of role of bacteria, apocrine sweat, and deodorants [Shelley & others], *430

Dermanyssus Gallinae
of pigeons, dermatitis due to [Rockwell], *82

Dermatitis: See also Acrodermatitis; Neurodermatitis
actinic: of Poth [Stillians], 596

Dermatitis—Continued
atopic: study of its natural course and of wool as dominant allergenic factor [Osborne & Murray], *619
autosensitization: discussion and protocol of experiment [Lipschultz], *178
contact, eczematous, from coal tar, 739
dermatosis, bullous [Kostant], 752
due to Dermanyssus gallinae of pigeons [Rockwell], *82
exfoliative, complicated by fatal acute disseminated histoplasmosis [Fox], 734
of hands: etiology and principles of treatment, with observations concerning a hyperkeratotic dermatitis of volar skin [Sutton & Ayres], *266
ragweed [Mayo Clinic], 106
ragweed: treated by oral administration of acetone extract of ragweed: apparent clinical cure and reversal of strongly positive patch test negativity [Fisher], 592
military, problems [Kierland], *54
psychosomatic circa 1850 [Allison], 499
Sherlock Holmes as dermatologist: with remarks on life of Dr. Joseph Bell and Sherlockian method of teaching [Klauder], 363

Dermatomycosis
superficial, due to T. mentagrophytes and T. rubrum: Asterol treatment, [Edelson & Haskin], *627

Dermatomyositis
cases [Mayo Clinic], 101
poikilodermatomyositis with calcinosis cutis [Silva & others], 588

Dermatophytosis
recurrent, fixed erysipelas-like dermatophytid: ineffectiveness of antibiotics reported in case [Lazar], 574

Dermatoses: See Dermatitis; Skin, diseases

Dermographism
low incidence in subacute and chronic urticaria [Fisher & Schwartz], 553

Desensitization: See Allergy

Detergents
new antibacterial, for common skin diseases in children: use in prophylaxis and treatment [Lipschutz & Fitti], *83
synthetic, and soaps: comparison of effects on hands of housewives [Johnson & others], *643

Diabetes Mellitus
pemphigus vulgaris complicated by, treated with corticotropin and cortisone [Bloom], 347

Diagnosis
Sherlock Holmes method [Klauder], *363

Dihydroxyphenylalanine
improvement in technique of dopa reaction [Radaeli], *668

Diphenylpyraline
fungicidal activity of [Van de Erve], 572

Director, W.
Leprosy, lepromatous type: response to isoniazid therapy, 463
Pemphigus foliaceus: response to corticotropin (ACTH) and cortisone: appearance of acanthotic lesions, 469

Domonkos, A. N.
Skin hemangioma and retrolental fibroplasia, *320

Dopa: See Dihydroxyphenylalanine

Dorfman, M.
Pulmonary hilar enlargement associated with Weber-Christian disease: report of case, *693

Dougherty, E. F.
Isoniazid in treatment of chronic lupus erythematosus, *417

Dressings
influence of pressure on nodules of xanthoma tuberosum [Butterworth], 545

Driver, J. R.
Sporotrichosis de Beurmann (now healed), 99

Duplast
use in radiation therapy [Calvert], 582

Dysidrosis: See under Sweat Glands

Ear
chondrodermatitis nodularis chronica helicis: 94 cases; survey of literature; pathogenesis and treatment [Newcomer & others], *241

Ebert, M. H.
Facial granuloma with eosinophiles (eosinophilic granuloma), 224

Eczema
atopic: personality factors in adult [McLaughlin & others], 506
eczematous hypersensitivity to coal tar [Simon & Brandt], 584
nummular: etiology [Fowle & Rice], *69
treatment with cortisone ointment [Vollmer], 525

Edelson, E.
Asterol treatment of superficial dermatomycoses due to T. mentagrophytes and T. purpureum, *627

Education
continuation course in dermatology, 479
course in occupational skin problems, 111

Efocaine: See Procaine and Procaine Compounds

Ehrenreich, E. W.
Perifolliculitis capitis abscedens et suffodiens: interstitial keratitis, 744

Elliott, J. A., Jr.
Complement in disseminated (systemic) lupus erythematosus, *119

Emotions
role in diseases of skin [Allison], 499

Eosinophiles
eosinophilic response after inunction of hydrocortisone ointment: experiments demonstrating lack of significant absorption and of systemic effects [Smith], *50

Epithelioma
basal-cell, multiple, of face and forehead treated with thorium X [Orfuss & others], 464
basal-cell, in Negro [Costello], 346
basal-cell, superficial; successfully treated with low-voltage x-ray therapy [Kindel & Friend], 737
cystic benign, multiple, heredity of: "Indiana family" [Gaul], 517
squamous cell: chronic discoid lupus erythematosus complicated by superimposed [Holtzman], *209

Epitheliomatosis
multiple superficial: spectroscopic study [Rosenberg], *398

Epstein, S.
Influence of x-ray cones on dose, 549

Epstein, W.
Influence of x-ray cones on dose, 549

Erysipelas
recurrent, fixed erysipelas-like dermatophytid: ineffectiveness of antibiotics reported in case [Lazar], 574

Erythema
induratum [Mayo Clinic], 107
induratum or tuberculous ulcer? [Lynch], 229
multiforme, unusual form of, confined to upper respiratory and possibly digestive tract: case for diagnosis [Costello], 611
nodosum (due to quinacrine [Atabrine] hydrochloride?) [Webster & Pass], 595
nodosum, primary inoculation tuberculosis and [Babalian & others], 349
perstans or lupus erythematosus: case for diagnosis [Fox], 608

Erythroderma
psoriatic: sweating studies in case, under 17-hydroxycorticosterone (compound F) therapy, 742

Estrogens
topically applied estrogen cream in acne vulgaris: clinical evaluation [Sawicky & others], *17

Eyes
carcinoma of limbus: 19 cases treated with radium; effect of gamma radiation upon eye [Seale], *286
ocular psoriasis: clinical review of 11 cases and some comments on treatment [Kaldeck], *44
sarcoid of eyelids, conjunctiva, and uveal tract
sarcoid of eyelids, conjunctiva, and uvel tract treated with quinacrine hydrochloride (Atabrine dihydrochloride) [Klauder], 474

Face
granuloma with eosinophiles (eosinophilic granuloma) [Ebert], 224
granuloma, malignant [Levan], *187

Favus
epidemic, of glabrous skin [Fishman], *38

Feet
hyperhydrosis, in adrenogenital syndrome [Torre], 352

Fibroma
multiple: generalized scleroderma? [Orris], 747

Figge, F. H. J.
Fluorescence of Microsporum audouini-infected hair: chemical and spectroscopic studies, *129
Fluorescence of Microsporum audouini-infected hair: cultural studies, *311
Inhibition of tyrosine-tyrosinase reaction by Microsporum audouini: preliminary report, *428

Fingers and Toes
pseudoainhum: congenital case involving several fingers and left wrist [Neumann], *421

Fisher, A. A.
Herpes gestationis (Rh-positive, type O) treated with cortisone and progesterone, 449
Low incidence of dermographism in subacute and chronic urticaria, 553
Nonsurgical treatment of cutaneous beryllium granuloma, *214
Paraaminobenzoic acid as sunscreen, *728
Ragweed dermatitis treated by oral administration of acetone extract of ragweed: apparent clinical cure and reversal of strongly positive patch test to negativity, 592

Fishman, I. M.
Epidemic favus of glabrous skin, *38

Fitti, R. M.
New antibacterial detergent for common skin diseases in children: use in prophylaxis and treatment, *83

Fluorescence
of Microsporum audouini-infected hair: chemical and spectroscopic studies [Robinson & others], *129
of Microsporum audouini-infected hair: cultural studies [Robinson & others], *311

Forbes, M. A., Jr.
Neomycin lotion in treatment of cutaneous bacterial infections, *631

Forearm
congenital cicatrizing annular band [Canizares], 341

Forsey, R. R.
Toxic psychosis following use of stilbamidine in blastomycosis, *89

Fowle, L. P.
Etiology of nummular eczema, 69

Fox, H.
Case for diagnosis: lupus erythematosus? or erythema perstans? 608
Exfoliative dermatitis complicated by fatal acute disseminated histoplasmosis,734

Frazier, C. N.
Essential hyperlipemia with xanthomatosis, 350

Friend, F.
Nevus syringoadenomatosus papilliferus of scalp, 732
Superficial basal-cell epithelioma successfully treated with low-voltage x-ray therapy: report of 2 cases, 737

Fromer, J. L.
Cathode ray treatment for lymphomas involving skin, *635

Fungi: See also Blastomycosis; Dermatophytosis; etc.; and under names of fungi, as Trichophyton
cultures: Tarsonemus confusus as contaminant [Reiss & Caroline], *728
infections, superficial, in infants [King & others], *664
method of staining in cutaneous material after clearing with potassium hydroxide [Taschdjian & Muskatblit], 579

Fungicides
fungicidal activity of diphenylpyraline [Van de Erve], 572
fungicidal solutions: laboratory test for evaluation [Lyons & Livingood], 566

Gaffkya Tetragena
carbuncle caused by, treated with oxytetracycline (Terramycin) [Zeligman & Sinesi], *382

Garb, J.
Reticuloendothelial cell hyperplasia in relation to antimonial therapy of mycosis fungoides, *1

Garrett, H. D.
Changes of climate and environment in treatment of dermatologic diseases: effect on neurodermatitis and certain other chronic dermatoses, *28

Gasner, W. G.
Keloid, 603
Tinea tonsurans, 604

Gaul, L. E.
Heredity of multiple benign cystic epithelioma: "Indiana family," 517

Gilje, O.
Capillary microscopic examination in skin diseases, *136

Glands
Sjögren's syndrome? xerostomia [Miller], 753

Glicksberg, E. L.
Chronic discoid lupus erythematosus, 339

Goldberg, A.
Acute disseminated lupus erythematosus, 594

Goldberg, L. C.
Isoniazid therapy of chronic dermatoses, 556

Goldblatt, S.
Lupus erythematosus treated with vitamin B_{12}: acute systemic lupus erythematosus; chronic discoid lupus erythematosus, 737

Goldman, L.
Localized congenital absence of skin, 590

Gonorrhea
primary pustular of skin [Byers & Bradley], 503

Goodman, H.
Nikolsky sign: page from "Notable Contributors to Knowledge of Dermatology," *334

Grais, M. L.
Role of colloidal oatmeal in dermatologic treatment of aged, *402

Granuloma
annulare in identical twins [Schiff & Cohen], *205
beryllium, cutaneous, nonsurgical treatment [Fisher], *214
conization treatment of insect-bite [Trice], 586
facial, with eosinophiles (eosinophilic granuloma) [Ebert], 224
malignant, of face [Levan], *187

Gray, H. T.
Occurrence of gynecomastia in conjunction with dermatologic disorders, *685

Guy, W. B.
Personality factors in adult atopic eczema, 506

Gynecomastia: See Breast, hypertrophy

Hair
inhibition of tyrosine-tyrosinase reaction by Microsporum audouini [Robinson & others], *428
Microsporum audouini-infected, fluorescence: chemical and spectroscopic studies [Robinson & others], *129
Microsporum audouini-infected, fluorescence: cultural studies [Robinson & others], *311

Hands
dermatitis: etiology and principles of treatment, with observations concerning a hyperkeratotic dermatitis of volar skin [Sutton & Ayres], *266
dysidrosis (pompholyx) [Shelley], *314
hyperhydrosis, in adrenogenital syndrome [Torre], 352

Hansen's Disease: See Leprosy

Hapalonychia
case for diagnosis [Butterworth], 474

Hare, H. F.
Cathode ray treatment of lymphomas involving skin, *635

Haserick, J. R.
Effect of cortisone and corticotropin on prognosis of systemic lupus erythematosus: survey of 83 patients with positive plasma L. E. tests, *714
Systemic lupus erythematosus: failure of quinacrine to maintain cortisone- and corticotropin-induced remission, 340

Haskin, A. H.
Asterol treatment of superficial dermatomycoses due to T. mentagrophytes and T. purpureum, *627

Hemangioma
multiple superficial hemangiomata, with congenital blindness of left eye [Reyes], 607
skin, and retrolental fibroplasia [Andrews & Domonkos], *320

Heparin
in treatment of psoriasis [Jekel], *80

Heredity
of multiple benign cystic epithelioma: "Indiana family" [Gaul], 517

Herpes
gestationis (Rh-positive, type O) treated with cortisone and progesterone [Fisher], 449

Histoplasmosis
exfoliative dermatitis complicated by fatal acute disseminated [Fox], 734

Hitch, J. M.
Action of cortisone on skin of experimental animals: investigations on protection against several types of injury to skin, *256

Holtzman, I. N.
Chronic discoid lupus erythematosus complicated by superimposed squamous cell epithelioma: report of case, *209

Horton, S. H.
Multiple acanthoma (tumor-like keratosis of Poth), 475

Huff, S. E.
Observations on peripheral circulation in psoriasis, *385

Hurley, H. J., Jr.
Axillary odor: experimental study of role of bacteria, apocrine sweat, and deodorants, *430

Hydrocortisone
acetate ointment: present status in dermatologic therapy [Sulzberger], 451; [Rein], 452
ointment: eosinophilic response after inunction: experiments demonstrating lack of significant absorption and of systemic effects [Smith], *50

Hypercholesteremia: See Blood, cholesterol

Hyperhidrosis: See under Sweat Glands

Hyperlipemia: See Blood, fats and lipids

Hyperpigmentation: See Pigmentation

Industry and Occupations
course in occupational skin problems, 111

Infant
tinea capitis and corporis in infant 4 weeks old [Bereston & Robinson], 582

Injuries
influence of local factors on cutaneous injury and healing [Benjamin & Cornbleet], 530

Insects
conization treatment of insect-bite granuloma [Trice], 586

International Conference on Group Psychotherapy, 479

Isoniazid
chronic dermatoses treated with [Goldberg & Simon], 556
cutaneous diseases: cutaneous tuberculosis, leprosy, sarcoidosis, and miscellaneous dermatoses treated with [Cormia & others], 536
leprosy (lepromatous type) improved by [Costello], 225
leprosy: lepromatous type, response to therapy [Director & Lystak], 463
leprosy: tuberculoid type, treated unsuccessfully with, and diplopia caused by leprosy [Costello], 597
lupus erythematosus, chronic, treated with [Appel & others], *417
lupus vulgaris responsive to [Sobel], 228
lupus vulgaris treated with [Lewis], 232
lupus vulgaris treated with [Traub], 231
lupus vulgaris treated with [Traub], 232
scrofuloderma and tuberculous sinus treated successfully with: acrodermatitis chronica atrophicans and hyperpigmentation of skin resembling Riehl's melanosis [Costello], 600

Isonicotinic Acid Hydrazid: See Isoniazid

Italian Society of Dermatology and Syphilography, 240

Jackson, R.
Toxic psychosis following use of stilbamidine in blastomycosis, *89

Jacobson, Harry Pincus
obituary, 237

Jekel, L. G.
Use of heparin in treatment of psoriasis, *80

Johnson, B. A.
Tyrotrace in topical therapy, *303

Johnson, H. M.
Effect of splenectomy in acute systemic lupus erythematosus, *699

Johnson, S. A. M.
Comparison of effects of soaps and synthetic detergents on hands of housewives: clinical method, *643

Johnson-Stevens Disease: See Erythema multiforme

Kaldeck, R.
Ocular psoriasis: clinical review of 11 cases and some comments on treatment, *44

Kalz, F.
Studies of plasma changes in skin diseases by paper chromatography, *167

Kanzel, J.
Lichen myxedematosis, 100

Kaposi's Disease: See Xeroderma pigmentosum

Keloid [Gasner], 603

Keratosis
keratoma hereditarium dissipatum palmare et plantare with cutaneous horn formation (Brauer) treated with lithium bromide [Lorincz], 91
multiple acanthoma (tumor-like keratosis of Poth) [New & Horton], 475

Kern, A. B.
Metabolic calcinosis in newborn: report of case, *672

Kierland, R. R.
Physical allergies, *61
Problems of military dermatology, *54
Quinacrine hydrochloride (Atabrine) in treatment of lupus erythematosus, *651

Kile, R. L.
Comparison of effects of soaps and synthetic detergents on hands of housewives: clinical method, *643
Lichen sclerosus et atrophicus in linear scleroderma, 731
Topical use of polymyxin-bacitracin ointment in dermatology, *296

Kindel, D. J.
Nervus syringoadenomatosus papilliferus of scalp, 732
Superficial basal cell epithelioma successfully treated with low-voltage x-ray therapy: report of 2 cases, 737

King, W. C.
Superficial fungus infections in infants, *664

Kirshbaum, B.
Sarcoidosis involving mucous membranes, 473
Sarcoidosis treated with quinacrine hydrochloride (Atabrine dihydrochloride), 472
Subacute disseminated lupus erythematosus, 471

Klak, W.
Case for diagnosis (reticulated melanosis?), 459

Klauder, J. V.
Sarcoid of eyelids, conjunctiva, and uveal tract treated with quinacrine hydrochloride (Atabrine dihydrochloride), 474
Sherlock Holmes as dermatologist: with remarks on life of Dr. Joseph Bell and Sherlockian method of teaching, *363

Kleeberg, L. S.
Case for diagnosis: linear lichenoid purpuric dermatosis? 468

Kooyman, D. J.
Comparison of effects of soaps and synthetic detergents on hands of housewives: clinical method, *643

Kostant, G. H.
Bullous dematosis, 752

Kozikowski, E. S.
Chronic discoid lupus erythematosus, 340

Kuitert, J. F.
Mechanical adjuvant for dermatological baths, *726

Kurtin, A.
Corrective surgical planing of skin: new technique for treatment of acne scars and other skin defects, *389

Kutscher, A. H.
Failure of smallpox vaccine in treatment of recurrent aphthous stomatitis, *212

L. E. Phenomenon: See Lupus Erythematosus

Lamb, J. H.
Etiology of superficial mycoses in midwestern United States, *681

Lane, S. L.
Failure of smallpox vaccine in treatment of recurrent aphthous stomatitis, *212

Lazar, M. P.
Recurrent, fixed erysipelas-like dermatophytid: ineffectiveness of antibiotics reported in case, 574

Leg
ulcers: See under Ulcers

Leprosy
lepromatous type, improved by isoniazid (Nydrazid; isonicotinic acid hydrazid) [Costello], 225
lepromatous type: response to isoniazid therapy [Director & Lysiak], 463
treated with isoniazid (Nydrazid) [Cormia & others], 536
tuberculoid [Wolf & Braitman], 463
tuberculoid type, treated unsuccessfully with isoniazid (Nydrazid) and diplopia caused by leprosy [Costello], 597

Leshin, A.
Nonsurgical treatment of birthmarks by tattooing, *208

Levan, N. E.
Malignant granuloma of face, *187

Lewis, G. M.
Generalized steatoma associated with hypercholesteremia, 230
Granular cell myoblastoma: report of case, *86
Lupus erythematosus (treated with quinacrine hydrochloride [Atabrine dihydrochloride]), 351
Lupus vulgaris treated with isoniazid (Nydrazid; isonicotinic acid hydrazid), 232
Mycosis fungoides: remission after corticotropin therapy, 609
Trichophyton purpureum infection (generalized), 354

Lichen
linear lichenoid purpuric dermatosis? case for diagnosis [Sobel & Kleeberg], 468
myxedematosis [Bembenista & Kanzel], 100
ruber moniliformis [Bechet], 614
ruber planus: case for diagnosis [Riordan & Luttenberger], 599

Lichen
sclerosus et atrophicus: in linear scleroderma [Kile], 731

Lichtenberg, F.
Poikilodermatomyositis with calcinosis cutis, 588

Lichtenstein, L.
Chondrodermatitis nodularis chronica helicis: report of 94 cases and survey of literature, with emphasis upon pathogenesis and treatment, *241

Limbus: See Eyes

Lipemia: See Blood, fats and lipids

Lips
cheilitis due to coffee [Lupton], *333

Lipschutz, A.
New antibacterial detergent for common skin diseases in children: use in prophylaxis and treatment, *83

Lipschultz, C. E.
Autosensitization dermatitis: discussion and protocol of experiment, *178

Lithium
bromide, keratoma hereditarium dissipatum palmare et plantare with cutaneous horn formation (Brauer) treated with [Lorincz], 91

Liver
xanthomatous biliary cirrhosis: onychomycosis [Thomas & Yeaman], 614

Livingood, C. S.
Laboratory test for evaluation of fungicidal solutions, 566
Superficial fungus infections in infants, *664

Lorincz, A. L.
Case for diagnosis (reticulated melanosis?), 459
Keratoma hereditarium dissipatum palmare et plantare with cutaneous horn formation (Brauer) treated with lithium bromide, 91

Lowenfish, F. P.
Perifolliculitis capitis abscendens et suffodiens: interstitial keratitis, 744
Sturge-Weber syndrome, 748

Ludwig, J. S.
Sycosis barbae due to Trichophyton rubrum (purpureum): report of case, *216

Lungs
hilar enlargement associated with Weber-Christian disease [Dorfman], *693

Lunsford, C. J.
Use of chemosurgery in dermatological practice, *148

Lupton, E. S.
Cheilitis due to coffee, *333

Lupus
erythematosus: acute disseminated [Bluefarb & others], 594

Lupus—Continued
erythematosus: chronic discoid [Curtis & Kozikowski], 340
erythematosus: chronic discoid [Glicksberg], 339
erythematosus: chronic discoid, complicated by superimposed squamous cell epithelioma: report of case [Holtzman], *209
erythematosus: chronic discoid, treated with quinacrine hydrochloride (Atabrine dihydrochloride) [Wells], 92; [Zakon], 222
erythematosus: chronic, isoniazid in treatment [Appel & others], *417
erythematosus: complement in disseminated (systemic) [Elliott & Mathieson], *119
erythematosus: effect of splenectomy in acute systemic [Johnson], *699
erythematosus or erythema perstans: case for diagnosis [Fox], 608
erythematosus: quinacrine hydrochloride (Atabrine) in treatment [Kierland & others], *651
erythematosus: subacute disseminated [Samitz & others], 471
erythematosus, systemic: effect of cortisone and corticotropin on prognosis of: survey of 83 patients with positive L. E. tests [Haserick], *714
erythematosus: systemic, failure of quinacrine to maintain cortisone- and corticotropin-induced remission [Haserick & Burdick], 340
erythematosus: treated with quinacrine hydrochloride (Atabrine dihydrochloride) [Lewis & Brooking], 351
erythematosus, treated with vitamin B_{12}: acute systemic; chronic discoid [Goldblatt], 737
vulgaris [Sheard], 353
vulgaris: responsive to isoniazid [Sobel], 228
vulgaris treated with isoniazid [Lewis], 232
vulgaris treated with isoniazid [Traub], 231, 232

Luttenberger, L. V.
Case for diagnosis (lichen ruber planus), 599

Lymphoblastoma
mycosis fungoides? [Cormia], 614

Lymphocytes
infiltration of skin [Orfuss], 477

Lymphoma
involving skin: cathode ray treatment [Hare & others], *635
of upper and lower extremities and the back of 5 years' duration [Adlerman], 605

Lynch, F. W.
Erythema induratum? tuberculous ulcer? 229

Lyons, R. E.
Laboratory test for evaluation of fungicidal solutions, 566

Lysiak, R.
Leprosy, lepromatous type: response to isoniazid therapy, 463

Machacek, G. F.
Adenoma sebaceum, 746
Papulonecrotic tuberculid, 750

McLaughlin, J. T.
Personality factors in adult atopic eczema, 506

Maddin, W. S.
Clinical evaluation of topically applied estrogen cream in acne vulgaris, *17

Marfan's Syndrome
panniculitis, arthrogryposis, and arachnodactyly, 732

Marshak, L. C.
Cutaneous blastomycosis treated with 4,4'-stilbenedicarboxyamidine (Stilbamidine), 94

Mathieson, D. R.
Complement in disseminated (systemic) lupus erythematosus, *119

Melanoma
pathologically malignant, clinically nonmalignant, in case of xeroderma pigmentosum [Ronchese], 355

Melanosis: See Pigmentation

Microscopy
capillary microscopic examination in skin diseases [Gilje & others], *136

Microsporum
audouini: fluorescence of infected hair: chemical and spectroscopic studies [Robinson & others], *129
audouini: fluorescence of infected hair: cultural studies [Robinson & others], *311
audouini: inhibition of tyrosine-tyrosinase reaction by [Robinson & others], *428

Milia
formation of following abrasive treatment for postacne scarring [Monash & Rivera], 589

Military Medicine
problems of military dermatology [Kierland], *54

Miller, I. L.
Xerostomia (Sjögren's syndrome?), 753

Miller, J. L.
Tyrotrace in topical therapy, *303

Monash, S.
Formation of milia following abrasive treatment for postacne scarring, 589

Moniliasis
generalized [Mayo Clinic], 105

Morphea: See Scleroderma

Mouth
inflammation: See Stomatitis
xerostomia (Sjögren's syndrome?) [Miller], 753

Mucinosis
papular (papular myxedema) [Buchholz], 461

Mucous Membranes
sarcoidosis involving [Samitz & others], 473

Murray, P. F.
Atopic dermatitis: study of its natural course and of wool as dominant allergenic factor, *619

Muskatblit, E.
Method of staining fungi in cutaneous material after clearing with potassium hydroxide, 579

Mycetoma
caused by Rhizopus, 741

Mycosis: See also Trichophyton
fungoides: investigative studies with local injection of 17-hydroxycorticosterone (compound F) and topical application of radioisotope Sr^{90}, 733
fungoides: lymphoblastoma [Cormia], 614
fungoides: remission after corticotropin therapy [Lewis], 609
fungoides: reticuloendothelial cell hyperplasia in relation to arsinomial therapy [Garb & Sims], *1
superficial: etiology in midwestern United States [Sisk & others], *681

Myoblastoma
granular cell: report of case [Lewis & Scott], *86

Myxedema
localized [Mayo Clinic], 104

Myxedema, Papular: See Mucinosis, papular

Nails
hapalonychia [Butterworth], 474
onychomycosis? pyoderma? psoriasis? case for diagnosis [Barker], 233
xanthomatous biliary cirrhosis: onychomycosis [Thomas & Yeaman], 614

Negroes
basal-cell epithelioma in [Costello], 346

Nelson, C. T.
Isoniazid (Nydrazid) in treatment of cutaneous diseases: cutaneous tuberculosis, leprosy, sarcoidosis, and miscellaneous dermatoses, 536

Nelson, L. M.
Fatal Shwartzman reaction during antibiotic therapy, *328

Neomycin: See Chlormerodrin

Neumann, A.
Pseudoainhum: report of congenital case involving several fingers and left wrist, *421

Neurodermatitis
changes of climate and environment in treatment [Smith & Garrett], *28

Neurofibromatosis
and adenocarcinoma of (male) breast [Ronchese], 359

Nevi
nevocarcinoma [Cipollaro], 234
nonsurgical treatment of birthmarks by tattooing [Leshin], *208
syringoadenomatosus papilliferus of scalp [Kindel & Friend], 732

Nevocarcinoma: See Nevi

New, W. M.
Multiple acanthoma (tumor-like keratosis of Poth), 475

Newcomer, V. D.
Chondrodermatitis nodularis chronica helicis: report of 94 cases and survey of literature with emphasis upon pathogenesis and treatment, *241

Nicholas, A. C.
Axillary odor: experimental study of role of bacteria, apocrine sweat, and deodorants, *430

Nickel
hypersensitivity to, 740

Nikolsky Sign
page from "Notable Contributors to Knowledge of Dermatology" [Goodman], *334

Nitrogen
liquid: substitute for [Ringrose], *730

Noun, M. H.
Treatment of pustular psoriasis and pustular bacterid with quinacrine (Atabrine), *337

Nydrazid: See Isoniazid

Oatmeal
colloidal: role in dermatologic treatment of aged [Grais], *402

OBITUARIES
Alderson, Harry E., 617
Jacobson, Harry Pincus, 237
Van Studdiford, Martin Thomas, 238

Occupational Diseases: See Industry and Occupations

Old Age
role of colloidal oatmeal in dermatologic treatment of aged [Grais], *402

O'Leary, P. A.
Capillary microscopic examination in skin diseases, *136
Quinacrine hydrochloride (Atabrine) in treatment of lupus erythematosus, *651

Onychomycosis: See under Nails

Orfuss, A. J.
Epitheliomata, multiple basal-cell type, of face and forehead treated with thorium X, 464
Lymphocytic infiltration of skin, 447

Orris, L.
Multiple fibromata: generalized scleroderma?, 747

Osborne, E. D.
Atopic dermatitis: study of its natural course and of wool as dominant allergic factor, *619

Oxytetracycline (Terramycin)
carbuncle caused by Gaffkya tetragena treated with [Zeligman & Sinesi], *382

Panniculitis
Marfan's syndrome, arthrogryposis, arachnodactyly and, 732
pulmonary hilar enlargement associated with [Dorfman], *693

Paraaminobenzoic Acid
as sunscreen [Fisher], *728

Parapsoriasis: See Psoriasis

Parasites
arthropods of dermatological interest [Canizares & Shatin], *157

Pass, B.
Erythema nodosum (due to quinacrine [Atabrine] hydrochloride?), 595

Peck, S.
Case for diagnosis: pemphigus? 342

Phemphigus
case for diagnosis [Peck], 342
contributions to study of [Brennan], 481
foliaceus: response to corticotropin (ACTH) and cortisone; appearance of acanthotic lesions [Director & Rogachefsky], 469
vulgaris, complicated by diabetes, treated with corticotrophin and cortisone [Bloom], 347

Penicillin
desensitization of patient sensitive to [Alexander], *323; correction, 480
fatal Shwartzman reaction during therapy [Nelson & Braslow], *328

Perifolliculitis
capitis abscedens et suffodiens: interstitial keratitis [Lowenfish & Wilkiser], 744

Perrin, S. R.
Efocaine in control of pruritus, *201

Personality
factors in adult atopic eczema [McLaughlin & others], 506

Pigeons
dermatitis due to Dermanyssus gallinae of [Rockwell], *82

Pigmentation
hyperpigmentation, postinflammatory [Wells], 459
hyperpigmentation of skin and acrodermatitis chronica atrophicans resembling Riehl's melanosis [Costello], 600
reticulated melanosis? case for diagnosis [Klak & Lorincz], 459

Piper, W. N.
Mechanical adjuvant for dermatological baths, *726

Plasma: See Blood

Plastics
use of Duplast in radiation therapy [Calvert], 582

Plethysmography
observations on peripheral circulation in psoriasis [Huff & Taylor], *385

Poikilodermatomyositis
with calcinosis cutis [Silva & others], 588

Polymyxin
polymyxin-bacitracin ointment, topical use in dermatology [Kile & others], *296

Pompholyx: See Hands

Pondé, A. D. A.
Poikilodermatomyositis with calcinosis cutis, 588

Popper, M.
Parapsoriasis en plaque, 348

Porter, J.
Primary inoculation tuberculosis and erythema nodosum, 349

Potassium
hydroxide, method of staining fungi in cutaneous material after clearing with [Taschdjian & Muskatblit], 579

Pregnancy
herpes gestationis (Rh-positive, type O) treated with cortisone and progesterone [Fisher], 449

Pressure
influence on nodules of xanthoma tuberosum [Butterworth], 545

Procaine and Procaine Compounds
efocaine in control of pruritus [Perrin], *201

Progesterone
herpes gestationis (Rh-positive, type O) treated with cortisone and [Fisher], 449

Pruritus
efocaine in control [Perrin], *201

Pseudoainhum: See Ainhum

Psoriasis
case for diagnosis [Barker], 233
heparin in treatment [Jekel], *80
ocular: clinical review of 11 cases and some comments on treatment [Kaldeck], *44
parapsoriasis en plaque [Popper], 348
peripheral circulation in [Huff & Taylor], *385
pustular, treatment with quinacrine (Atabrine), [Cormia & Noun], *337

Psychosis
toxic, following use of stilbamidine in blastomycosis [Forsey & Jackson], *89

Psychosomatic Factors
dermatology circa 1850 [Allison], 499
personality factors in adult atopic eczema [McLaughlin & others], 506

Pyoderma
case for diagnosis [Barker], 233
case for diagnosis (mascular atrophy secondary to chronic pyoderma?) [Costello], 612

Quastel, J. H.
Studies of plasma changes in skin diseases by paper chromatography, *167

Quinacrine (Atabrine)
erythema nodosum due to [Webster & Pass], 595
hydrochloride: chronic discoid lupus erythematosus treated with [Wells], 92; [Zakon], 222
hydrochloride: lupus erythematosus treated with [Kierland & others], *651
hydrochloride, lupus erythematosus treated with [Lewis & Brooking], 351
hydrochloride: sarcoid of eyelids, conjunctiva, and uveal tract treated with [Klauder], 474
hydrochloride: sarcoidosis treated with [Samitz & others], 472
in lupus erythematous: failure [Haserick & Burdick], 340
in lupus erythematosus: successful treatment [Curtis & Kozikowski], 340
treatment of pustular psoriasis and pustular bacterid with [Cormia & Noun], *337

Radaeli, G.
Improvement in technique of dopa reaction, *668

Radiation
cathode ray treatment for lymphomas involving skin [Hare & others], *635
use of Duplast in radiation therapy [Calvert], 582

Ragweed
dermatitis [Mayo Clinic], 106
dermatitis treated by oral administration of acetone extract of ragweed: apparent clinical cure and reversal of strongly positive patch test to negativity [Fisher], 592

Rattner, H.
Blastomycosis, 221

Recklinghausen's Disease: See Neurofibromatosis

Rees, R. B.
Localized scleroderma in father and daughter, 360

Reiches, A. J.
Angular stomatitis treated with silicote ointment, *336

Rein, C. R.
Present status of hydrocortisone acetate ointment in dermatologic therapy, 452

Reiss, F.
Tarsonemus confusus: contaminant of fungus cultures, *728

Respiratory Tract
case for diagnosis (unusual form of erythema multiforme confined to upper respiratory and possibly to digestive tract) [Costello], 611

Reticuloendothelial System
cell hyperplasia in relation to antimonial therapy of mycosis fungoides [Garb & Sims], *1

Retrolental Fibroplasia
skin hemangioma and [Andrews & Domonkos], *320

Reyes, J. G.
Case of multiple superficial hemangiomata, with congenital blindness of left eye, *607

Rhizopus
mycetoma caused by, 741

Rice, J. W.
Etiology of nummular eczema, 69

Rice, S. M.
Healing of chronic sicklemia leg ulcers with cortisone therapy, 576

Rimifon: See Isoniazid

Ringrose, E. J.
Substitute for liquid nitrogen, *730

Riordan, T. J.
Case for diagnosis (lichen ruber planus), 599

Rivera, R. M.
Formation of milia following abrasive treatment for postacne scarring, 589

Robbins, S.
Epithelioma, multiple, basal-cell type, of face and forehead treated with thorium X, 464

Robinson, H. M., Jr.
Fluorescence of Microsporum audouini-infected hair: chemical and spectroscopic studies, *129
Fluorescence of Microsporum audouini-infected hair: cultural studies, *311
Inhibition of tyrosine-tyrosinase reaction by Microsporum audouini: preliminary report, *428
Tinea capitis and corporis in infant 4 weeks old, 582

Rockwell, E.
Dermatitis due to Dermanyssus gallinae of pigeons, *82
Topical use of polymyxin-bacitracin ointment in dermatology, *296

Rodin, H.
Blastomycosis, 221

Rodriquez, J.
Stilbamidine (4,4'-stilbenedicarboxyamidine) therapy in blastomycosis, 95

Roentgen Rays: See X-Rays

Rogachefsky, H.
Pemphigus foliaceus: response to corticotropin (ACTH) and cortisone; appearance of acanthotic lesions, 469

Ronchese, F.
Melanomata pathologically malignant, clinically nonmalignant, in case of xeroderma pigmentosum, 355

Ronchese, F.—Continued
Neurofibromatosis and adenocarcinoma of (male) breast, 359

Rosenberg, W. A.
Multiple superficial epitheliomatosis: spectroscopic study, *398

Ruiter, M.
Angiokeratoma corporis diffusum, *21; correction, 480

Ruppe, J. P., Jr.
Seborrheic verruca of left upper quadrant of abdomen of 2 years' duration, 602

Samitz, M. H.
Sarcoidosis involving mucous membranes, 473
Sarcoidosis treated with quinacrine hydrochloride (Atabrine dihydrochloride), 472
Subacute disseminated lupus erythematosus, 471

Sarcoidosis
case for diagnosis [Cornbleet & others], 219
diagnosis by biopsy [Cornbleet & others], 219
of eyelids, conjunctiva, and uveal tract treated with quinacrine hydrochloride (Atabrine dihydrochloride) [Klauder], 474
involving mucous membranes [Samitz & others], 473
treated with isoniazid (Nydrazid) [Cormia & others], 536
treated with quinacrine hydrochloride (Atabrine dihydrochloride) [Samitz & others], 472

Satanove, A.
Sarcoidosis involving mucous membranes, 473
Sarcoidosis treated with quinacrine hydrochloride (Atabrine dihydrochloride), 472
Subacute disseminated lupus erythematosus, 471

Sawicky, H. H.
Clinical evaluation of topically applied estrogen cream in acne vulgaris, *17

Scalp
tinea capitis (Trichophyton tonsurans) in child [Costello], 345

Schiff, B. L.
Granuloma annulare in identical twins, *205
Metabolic calcinosis in newborn: report of case, *672

Schorr, H.
Sarcoidosis (by biopsy), 219
Secondary syphilis, 222

Schwartz, S.
Low incidence of dermographism in subacute and chronic urticaria, 553

Schwarz, J.
Topical use of polymyxin-bacitracin ointment in dermatology, *296
Trichophyton sulfureum in southern Ohio area, *335

Scleroderma
generalized: multiple fibromata [Orris], 747
linear: lichen sclerosus et atrophicus in [Kile], 731
localized, in father and daughter [Rees & Bennett], 360

Scott, M. J.
Granular cell myoblastoma: report of case, *86

Scrofuloderma: See Tuberculosis, cutaneous

Seale, E. R.
Carcinoma of limbus: report of 19 cases treated with radium and effect of gamma radiation upon eye, *286

Sensitization: See Allergy

Shatin, H.
Arthropods of dermatological interest, *157

Sheard, C.
Lupus vulgaris, 353

Shelley, W. B.
Axillary odor: experimental study of role of bacteria, apocrine sweat, and deodorants, *430
Dysidrosis (pompholyx), *314

Sherlock Holmes
as dermatolgist: with remarks on life of Dr. Joseph Bell and Sherlockian method of teaching [Klauder], *363

Shoemaker, R. J.
Personality factors in adult atopic eczema, 506

Shwartzman Reaction
fatal, during antibiotic therapy [Nelson & Braslow], 328

Sicklemia: See Anemia, sickle cell

Sickley, J. F.
Acute disseminated lupus erythematosus, 594
Sarcoidosis (by biopsy), 219
Secondary syphilis, 222

Silicones
angular stomatitis treated with silicote ointment [Reiches], *336

Silva, F.
Poikilodermatomyositis with calcinosis cutis, 588

Simon, C. R.
Eczematous hypersensitivity to coal tar: report of 3 cases, 784
Isoniazid therapy of chronic dermatoses, 556
Trichophyton sulfureum in southern Ohio area, *335

Sims, C. F.
Reticuloendothelial cell hyperplasia in relation to antimonial therapy of mycosis fungoides, *1

Sinesi, S. J.
Carbuncle caused by Gaffkya tetragena treated with oxytetracycline (Terramycin), *382

Singer, J. L.
Sporotrichosis, lymphangiectatic type, 598

Sisk, J. C.
Etiology of superficial mycoses in midwestern United States, *681

Sjögren's Syndrome: See Glands

Skin
abnormalities: localized congenital absence of skin [Goldman], 590
cancer: See also Epithelioma
cancer: use of chemosurgery in dermatological practice [Lunsford & others], *148
defects: new technique for treatment: corrective surgical planning [Kurtin], *389
diseases: capillary microscopic examination in [Gilje & others], *136
diseases: changes of climate and environment in treatment [Smith & Garrett], *28
diseases: common, in children, new antibacterial detergent in prophylaxis and treatment [Lipschutz & Fitti], *83
diseases: isoniazid (Nydrazid) in treatment of cutaneous diseases: cutaneous tuberculosis, leprosy, sarcoidosis, and miscellaneous dermatoses [Cormia & others], 536
diseases: isoniazid therapy of chronic dermatoses [Goldberg & Simon], 556
diseases: occurrence of gynecomastia in conjunction with [Wheeler & others], *685
diseases: present status of hydrocortisone acetate ointment in therapy [Sulzberger], 451; [Rein], 452
diseases: psychosomatic factors: dermatology Circa 1850 [Allison], 499
diseases: role of colloidal oatmeal in treatment of aged [Grais], *402
diseases: studies of plasma changes by paper chromatography in [Kalz & others], *167
diseases: topical use of polymyxin-bacitracin ointment in [Kile & others], *296
hemangioma and retrolental fibroplasia [Andrews & Domonkos], *320
injury: action of cortisone in experimental animals [Hitch], *256
injury: influence of local factors [Benjamin & Cornbleet], 530
lymphocytic infiltration [Orfuss], 447
Neomycin lotion in treatment of cutaneous bacterial infections [Forbes], *631
primary pustular gonorrhea [Byers & Bradley], 503
tuberculosis: See Tuberculosis

Smallpox
vaccine: failure in treatment of recurrent aphthous stomatitis [Kutscher & others], *212

Smith, C. C.
Eosinophilic response after ununction of hydrocortisone ointment: experiments demonstrating lack of significant absorption and of systemic effects, *50

Smith, L. M.
Changes of climate and environment in treatment of dermatologic diseases: effect on neurodermatitis and certain other chronic dermatoses, *28

Soaps
and synthetic detergents: comparison of effects on hands of housewives [Johnson & others], *643

Sobel, N.
Case for diagnosis: linear lichenoid purpuric dermatosis? 468
Lupus vulgaris responsive to isoniazid (Rimifon; isonicotinic acid hydrazid), 228

Societies
American Academy of Dermatology and Syphilology, 479
dermatologic, directory, 112; corrections, 480
directory of dermatologic societies, 112; corrections, 480
foreign, directory, 112
International Conference on Group Psychotherapy, 479
international, directory, 112
Italian Society of Dermatology and Syphilography, 240
local, directory, 116; corrections, 480
national, directory, 113
sectional, directory, 114
state, directory, 114

Society Transactions
Bronx Dermatological Society, 447, 592
Chicago Dermatological Society, 91, 219, 456, 594
Cincinnati Dermatological Society, 731
Cleveland Dermatological Society, 99, 339
Manhattan Dermatological Society, 225, 341
Metropolitan Dermatological Society of Los Angeles, 348
Minnesota Dermatological Society, 101, 229
New England Dermatological Society, 349
New York Academy of Medicine, Section of Dermatology and Syphilis, 351, 463, 597, 744
New York Dermatological Society, 230, 608
Philadelphia Dermatological Society, 471, 614
Rhode Island Dermatological Society, 355
San Francisco Dermatological Society, 360

Spectrophotometry: See Spectrum Analysis

Spectrum Analysis
multiple superficial epitheliomatosis [Rosenberg], *398

Spleen
effect of splenectomy in acute systemic lupus erythematosus [Johnson], *699

Sporotrichosis
de Beurmann (now healed) [Cole & others], 99
lymphangiectatic type [Singer], 598

Stains and Staining
method of staining fungi in cutaneous material after clearing with potassium hydroxide [Taschdjian & Muskathlit], 579

Steatoma
generalized, associated with hypercholesteremia [Lewis], 230

Steffen, C. G.
Chondrodermatitis nodularis chronica helicis: report of 94 cases and survey of literature, with emphasis upon pathogenesis and treatment, *241

Sternberg, T. H.
Chondrodermatitis nodularis chronica helicis: report of 94 cases and survey of literature, with emphasis upon pathogenesis and treatment, *241

Stilbamidine
cutaneous blastomycosis treated with [Marshak], 94
therapy in blastomycosis [Rodriquez], 95
toxic psychosis following use in blastomycosis [Forsey & Jackson], *89

Stillians, A. W.
Actinic dermatitis of Poth, 596

Stomatitis
angular, treated with silicote ointment [Reiches], *336
aphthous, recurrent: failure of smallpox vaccine in treatment [Kutscher & others], *212

Streptomycin
in treatment of cutaneous tuberculosis [Adoni], *378

Strontium
radioactive: in mycosis fungoides: investigative studies with local injection of 17-hydroxycorticosterone and topical application of radioisotope Sr^{90}, 733

Sturge-Weber Syndrome: See Angioma
Sulzberger, M. B.
Present status of hydrocortisone acetate ointment in dermatologic therapy, 451
Sunscreen Preparations
paraaminobenzoic acid as [Fisher], *728
Sutton, R. L., Jr.
Dermatitis of hands: etiology and principles of treatment, with observations concerning hyperkeratotic dermatitis of volar skin, *266
Sweat
apocrine: role in axillary odor: experimental study [Shelley & others], *430
studies in case of psoriatic erythroderma under 17-hydroxycorticosterone (compound F) therapy, 742
Sweat Glands
dysidrosis (pompholyx) [Shelley], *314
hyperhidrosis of hands and feet in adrenogenital syndrome [Torre], 352
Sycosis
barbae due to Trichophyton rubrum (purpureum): report of case [Ludwig], *216
Syphilis
secondary [Cornbleet & others], 222
Syringe
hypodermic, centenary of, 1853-1953 [Zakon], 591

Tabetic Crisis: See Dementia Paralytica
Tar
coal, eczematous hypersensitivity to [Simon & Brandt], 584
Tarsonemus
confusus: contaminant of fungus cultures [Reiss & Caroline], *728
Taschdjian, C. L.
Method of staining fungi in cutaneous material after clearing with potassium hydroxide, 579
Tattooing
nonsurgical treatment of birthmarks by [Leshin], *208
Taylor, H. L.
Observations on peripheral circulation in psoriasis, *385
Telner, P.
Studies of plasma changes in skin diseases by paper chromatography, *167
Teloh, H. A.
Correlation of rate of growth with histologic characteristics of basal cell carcinoma, *408
Templeton, H. J.
Use of chemosurgery in dermatological practice, *118
Terramycin: See Oxytetracycline
Thomas, C. C.
Xanthomatous biliary cirrhosis: onychomycosis, 614
Thorium
epithelioma, multiple basal-cell type, of face and forehead treated with thorium X [Orfuss & Robbins], 464
Tinea: See also Sycosis
capitis and corporis in infant 4 weeks old [Bereston & Robinson], 582
capitis (Trichophyton cerebriform or crateriform) [Cipollaro], 231
capitis (Trichophyton cerebriforme) [Cipollaro], 226
capitis (Trichophyton tonsurans) of scalp in child [Costello], 345
favosa: See Favus
tonsurans [Gasner], 604
Tolmach, J. A.
Case for diagnosis, 470
Torre, D.
Adrenogenital syndrome: hyperhidrosis of hands and feet, 352
Traub, E. F.
Alopecia prematura, 608
Lupus vulgaris treated with isoniazid (Nydrazid; isonicotinic acid hydrazid), 232
Lupus vulgaris treated with isonicotinic acid hydrazid (Rimifon), 231
Trice, E. R.
Conization treatment of insect-bite granuloma, 586
Trichoepithelioma
papulosum multiplex: See Epithelioma, cystic benign
Trichophyton
cerebriform or crateriform: tinea capitis [Cipollaro], 231
cerebriforme (tinea capitis) [Cipollaro], 226
mentagrophytes: Asterol treatment of superficial dermatomycoses due to [Edelson & Haskin], *627
purpureum: Asterol treatment of superficial dermatomycoses due to [Edelson & Haskin], *627
purpureum: infection (generalized) [Lewis], 354
rubrum (purpureum): sycosis barbae due to: report of case [Ludwig], *216
sulfureum: in southern Ohio area [Simon & Schwarz], *335
tonsurans: tinea capitis of scalp in child [Costello], 345
Trump, J. G.
Cathode ray treatment for lymphomas involving skin, *635
Tuberculosis
cutaneous: isoniazid (Nydrazid) in treatment [Cormia & others], 536
cutaneous: isoniazid therapy of chronic dermotoses [Goldberg & Simon], 556
cutaneous: scrofuloderma and tuberculous sinus treated successfully with isoniazid (Nydrazid): acrodermatitis chronica atrophicans and hyperpigmentation of skin resembling Riehl's melanosis [Costello], 600
cutaneous: streptomycin in treatment [Adoni], *378
Tuberculosis
Papulonecrotic tuberculid [Machacek], 750
primary inoculation and erythema nodosum [Baballian & others], 349
Twins
identical, granuloma annulare in [Schiff & Cohen], *205
Tyrosine
inhibition of tyrosine-tyrosinase reaction by Microsporum audouini [Robinson & others], *428
Tyrothricin
tyrotrace (combination of tyrothricin and bacitracin) in topical therapy [Miller & others], *303
Tyrotrace: See Tyrothricin

Ulcers
leg, chronic sicklemia, healing with cortisone therapy [Rice], 576
tuberculous or erythema induratum? [Lynch], 229
Ultraviolet Rays
actinic dermatitis of Poth [Stillians], 596
Urticaria
subacute and chronic, low incidence of dermographism in [Fisher & Schwartz], 553

Van de Erve, J., Jr.
Fungicidal activity of Diphenylpyraline, 572
Van Straten, S. F.
Studies of plasma changes in skin diseases by paper chromatography, *167
Van Studdiford, Martin Thomas
obituary, 238
Van Velsor, H.
Tyrotrace in topical therapy, *303
Verruca
seborrheic of left upper quadrant of abdomen of 2 years' duration [Ruppe], 602
Vitamins
B_{12}: acute systemic and chronic discoid lupus erythematosus treated with [Goldblatt], 737
Vollmer, H.
Treatment of eczema with cortisone ointment, 525

Walton, I. K.
Superficial fungus infections in infant, *664
Warts: See Verruca
Weber-Christian Disease: See Panniculitis

Webster, J.
Erythema nodosum (due to quinacrine [Atabrine] hydrochloride?), 595

Weiner, A. L.
Tabetic crisis, treated with intravenous corticotropin (ACTH), 731

Wells, G. C.
Chronic discoid lupus erythematosis treated with quinacrine hydrochloride (Atabrine dihydrochloride), 92
Postinflammatory hyperpigmentation, 459

Wheeler, C. E.
Occurrence of gynecomastia in conjunction with dermatologic disorders, *685

White Spot Disease: See Scleroderma

Whitehouse, H. S.
Comparison of effects of soaps and synthetic detergents on hands of housewives: clinical method, *643

Wickham, J. M.
Influence of x-ray cones on dose, 549

Wilson, E. W.
Isoniazid (Nydrazid) in treatment of cutaneous diseases: cutaneous tuberculosis, leprosy, sarcoidosis, and miscellaneous dermatoses, 536

Wolf, J.
Case for diagnosis: xeroderma pigmentosum? 466
Tuberculoid leprosy, 463

Wool
as allergenic factor in atopic dermatitis [Osborne & Murray], *619

Wooldridge, W. E.
Etiology of superficial mycoses in midwestern United States, *681

Wright, K. A.
Cathode ray treatment for lymphomas involving skin, *635

Xanthoma
essential hyperlipemia with xanthomatosis [Frazier], 350
tuberosum, influence of pressure on nodules of [Butterworth], 545

Xeroderma
pigmentosum? case for diagnosis [Wolf & Appell], 466
pigmentosum, melanomata pathologically malignant, clinically malignant, in [Ronchese], 355

Xerostomia: See Mouth

X-Rays
influence of cones on dose [Epstein & others], 549
superficial basal cell epithelioma successfully treated with low-voltage therapy [Kindel & Friend], 737

Yeaman, J.
Xanthomatous biliary cirrhosis: onychomycosis, 614

Zakon, S. J.
Century of hypodermic syringe, 1853-1953, 591
Chronic discoid lupus erythematosus treated with quinacrine hydrochloride (Atabrine dihydrochloride), 222

Zegarelli, E. V.
Failure of smallpox vaccine in treatment of recurrent aphthous stomatitis, *212

Zeligman, I.
Carbuncle caused by Gaffkya tetragena treated with oxytetracycline (Terramycin), *382